

# PHYSICAL THERAPY EQUIPMENT



# NUMERICAL INDEX

3-2007 18	020	1030-2710	7027-F 35
3-2010 18	030	1030-3010	7029-F 35
3-2012 18	034	1701-27 13	7031-F 33
3-3307 20	04011	1701-30 13	712132
3-4007 21	04116	1702-27 13	712436
3-4010 21	06011	1702-30 13	732032
3-4012 21	07711	1703-27 13	736027
3-2106 20	1008	1703-30 13	880539
3-3310 21	10125	3010-27 7	8805-A40
3-3317 21	20010	3010-307	8805-AF 40
4-5080-30 22	30010	3013-27 6	882139
4-5080-36 22	130010	3013-306	8821-A41
4-5500-30 25	2102 42	3020-27 6	8821-AF 41
4-5500-36 25	211143	3020-30 6	882239
4-5501-30 24	2135 42	3030-27 6	8822-A40
4-5501-36 24	2155 42	3030-306	8822-AF 40
4-6500-30 26	240-47 16	471637	892138
4-6500-36 26	240-57 16	5101A30	8921-A40
4-6501-30 26	240-68 16	5101B30	8921-AF 40
4-6501-36 26	243-47 16	5102A30	892238
20 29	243-57 16	5102B30	8922-A41
5029	253-47 14	5113K37	8922-AF 41
5129	253-57 14	5114M36	895038
5229	253-6814	514031	8950-A41
5329	31007	551636	8950-AF 41
5429	31306	615433	C-40B42
5629	32006	615531	C-50B42
5829	33006	619012	T-40 43
5929	1010-278	619612	T-50 43
6029	1010-30 8	6198 12	T-6242 43
6129	1013-27 10	621028	T-6250 43
005	1013-30 10	6210-9 28	XP100134
006	1020-27 10	622028	XP1002 34 & 36
009	1020-30 10	7019-F 34	

**IMPORTANT NOTE TO DISTRIBUTORS DOING BUSINESS IN CALIFORNIA:**Clinton Industries products drop shipping or to our knowledge being reshipped into California will carry appropriate Safe Harbor Warnings in compliance with California Proposition 65.

For more information on California Proposition 65, go to: **www.P65Warnings.ca.gov** 



Clinton Industries offers one of the best selections of quality-tested Physical Therapy Equipment in the market.

It is built tough for the rigors of everyday physical therapy use and practical for nearly every budget.

From a full line of treatment tables to staircases, mat platforms, parallel bars, a selection of weights and much more, Clinton equipment is designed and engineered to meet the therapeutic needs of any size facility — all with one source convenience.

Get the assurance of over 35 years of medical equipment manufacturing expertise and see the difference Clinton brings to the Physical Therapy market.

Clinton Industries reserves the right to modify, improve and discontinue products without notice. Confirm all product specifications before ordering. Visit www.clinton-ind.com for the most current information and updates.



### ALPHA SERIES TREATMENT TABLES

Clinton Alpha Series Treatment Tables are sleek, smart looking and offer durable performance for years of service.

From their smooth powder-coated frame to their tough, steel construction and woven, knit-backed upholstery, Alpha Series tables are among the best in their class.

Alpha Series Treatment Tables feature:

- Adjustable backrest standard on all models
- Upholstered top is easy to replace if damaged
- Gray, powder-coated, all-welded, steel frame
- Adjustable height levelers
- Pre-threaded hardware for easy assembly
- Paper dispenser included
- Seamless, rounded corner top
- 2" of firm foam padding (5 cm)
- Choice of upholstery colors
- Fast, easy assembly with basic tools
- 450 lbs. load capacity under normal use (204 kg)

**! WARNING:** Products featured on this page can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.



- Rigid all steel frame
- Adjustable backrest
- Gray laminate shelf



3020-27	length	width	height	
	72"	27"	31"	
	183 cm	69 cm	79 cm	

3020-30 30" width model (76 cm)

For flat top version, order — Model 3200

### **Straight Line Treatment Table** with Shelf and 2 Drawers

- Rigid all steel frame
- Adjustable backrest
- Gray laminate shelf & drawer
- Easy-clean, one-piece, plastic drawers 3130



3013-27	length	width	height
	72"	27"	31"
	183 cm	69 cm	79 cm

3013-30 30" width model (76 cm)

For flat top version, order — Model 3130

### **Straight Line Treatment Table** with Shelving

- Rigid all steel frame
- Adjustable backrest
- Gray laminate shelving



				330
3020	3030-27	length	width	height
		72"	27"	31"
		183 cm	69 cm	79 cm
	3030-30	30" w	dth model (70	6 cm)
1	For flat to	op version,	order — M	1odel 3300



### **Straight Line Treatment Table**

- Rigid all steel frame
- Adjustable backrest
- Paper dispenser included

length	width	height
72"	27"	31"
183 cm	69 cm	79 cm
	72"	72" 27"

3010-30 30" width model (76 cm)

For flat top version, order — Model 3100



**WARNING:** This product can expose you to chemicals, including disononyl phthalate (DINP), which is known to the State of California to cause cancer.

### CLASSIC SERIES TREATMENT TABLES

Clinton Classic Series Treatment Tables are the benchmark in the industry for traditional wood tables. Tough, sturdy 2.25" thick hardwood legs support bolted frame construction for the ultimate in strength and durability in a classic wood treatment table.

Classic Series Treatment Tables feature:

- Adjustable backrest standard on all models
- Upholstered top is easy to replace if damaged
- Solid hardwood legs
- H-brace construction
- Legs have pre-inserted carriage bolts for fast easy assembly
- See page 11 for options
- Seamless, rounded corner top
- 2" of firm foam padding (5 cm)
- Available in Natural and Dark Cherry finish
- Choice of upholstery colors
- Fast, easy assembly with basic tools
- Flat top available on all models
- 400 lbs. load capacity under normal use (181.4 kg)

### **Straight Line Treatment Table**

- Solid hardwood legs
- Adjustable backrest

1010-30

• Also available with optional flat top

1010-27	length	width	height
	72"	27"	31"
	183 cm	69 cm	79 cm

30" width model (76 cm)

### For flat top version, order — Model 100



**WARNING:** This product can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.



### Straight Line Treatment Table with Shelf

- Solid hardwood legs
- Adjustable backrest
- Full laminate shelf
- Also available with optional flat top

1020-27	length	width	height	
	72"	27"	31"	
	183 cm	69 cm	79 cm	

**1020-30** 30" width model (76 cm)

For flat top version, order — Model 200

### **Straight Line Treatment Table with Shelving**

- Solid hardwood legs
- Adjustable backrest
- Matching laminate shelving
- Also available with optional flat top

1030-27	length	width	height	
	72"	27"	31"	
	183 cm	69 cm	79 cm	
1030-30	30" wi	dth model (76	cm)	

For flat top version, order — Model 300

# Straight Line Treatment Table with Shelf and Drawers

- Solid hardwood legs
- Adjustable backrest

1013-30

- Laminate shelf & drawer unit
- Easy-clean, one-piece, plastic drawers
- Also available with optional flat top

72"	27"	31"
83 cm	69 cm	79 cm
	-	,

30" width model (76 cm)

For flat top version, order — Model 1300

**WARNING:** Products featured on this page can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.



### CLASSIC SERIES TABLE OPTIONS

### Special Height

• 36" maximum, 21" minimum. When ordering, state desired height to top of pad on table. (91 cm max/53 cm min)

### 005\*

### Special Length

• 78" maximum, 54" minimum length for adjustable tops & 48" minimum length for flat tops. When ordering state desired length (table top). (198 cm max/137 cm min & 122 cm min)

### 006

### Nose hole

• Allows patient to lie face down without turning head.

009	length	width	
	9"	2"	
_	22 cm	5 cm	_

### **Small Pillow**

20	length	width	height	
	14"	12"	3"	
	36 cm	30 cm	8 cm	

### Large Pillow

60	length	width	height	
	13"	20"	3"	
	33 cm	51 cm	8 cm	

### **Paper Dispenser**

 Accommodates paper rolls from 18" to 21" wide

030	width	height	
	201/2"	4 <sup>1</sup> /2"	
	52 cm	11 cm	

### **Paper Cutter**

• Clear plastic with elastic straps.

### 040

### Paper Dispenser/Cutter Combo

• Accommodates paper rolls from 18" to 21" wide Clear plastic with elastic straps.

### 034

### **Positioning Strap**

 Strap secures with quick fasten hook and loop fastener

077	length	width	
	92"	2"	
	234 cm	5 cm	











**WARNING:** See individual products that accommodate these options for California Proposition warnings

### SPORTS TRAINING TABLES

### **Low Height Bariatric Treatment Table**

- Plywood top and solid hardwood legs
- 6-leg design with triple bolted corner legs
- Built-in middle leg levelers
- Steel reinforced frame
- Laminate, full length shelf with H-braces
- Pillow included
- 600 lbs. load capacity under normal use (272.15 kg)

6196	length	width	height	
	78"	30"	26"	
	198 cm	76 cm	66 cm	



### **Bariatric Treatment Table**

- Plywood top and solid hardwood legs
- 6-leg design with triple bolted corner legs
- Built-in middle leg levelers
- Steel reinforced frame
- Laminate, full length shelf with H-braces
- Pillow included
- 600 lbs. load capacity under normal use (272.15 kg)

6190	length	gth width h	
	78"	30"	31"
	198 cm	76 cm	79 cm



### **Bariatric, Treatment Table**

- Plywood top and welded steel frame
- 6-leg design with bolt-through assembly
- Leg levelers
- Gray, laminate full length shelf with H-braces
- 600 lbs. load capacity under normal use (272 kg)

6198	length	width	height	ght	
	72"	30"	31"		
	183 cm	76 cm	79 cm		



## **WARNING:** Products featured on this page can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.

### **Taping Table**

- Heavy duty table with solid wood legs, H-braces
- 2" foam padding (5 cm)
- 350 lbs. load capacity under normal use (158.75 kg)

1701-27	length	width	height	
	48"	27"	36"	
	122 cm	69 cm	79 cm	
1701-30	30" width model (76.19 cm)			



### **Taping Table with Shelf**

- Heavy duty table with solid wood legs, H-braces and laminated full shelf
- 2" foam padding (5 cm)
- 350 lbs. load capacity under normal use (158.75 kg)

1702-27	-27 length width		height	
	48"	27"	36"	
	122 cm	69 cm	79 cm	
1702-30	30" width model (76.19 cm)			



### **Taping Table With Shelves**

- Heavy duty table with solid wood legs, H-braces and laminated two-level storage
- 2" foam padding (5 cm)
- 350 lbs. load capacity under normal use (158.75 kg)

1703-27	<b>703-27</b> length widtl		height	
	48"	27"	36"	
_	122 cm	69 cm	79 cm	
1703-30	30" width model (76.19 cm)			



**WARNING:** Products featured on this page can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.

### POWER MAT PLATFORM

A smooth, dependable lift mechanism and comfortable padded surface put Clinton Power Mat platforms at everyone's comfort level.

Clinton Power Mat Platform features:

- Ultra-strong uni-frame constructed base and top frame
- All-welded steel base and top frame
- Textured ABS plastic encloses lift mechanism and makes cleaning easier
- Smooth electric height adjustment moves straight up and down
- Hardened bolts and self lubricating pivot points for years of service
- Dependable 110 volt motor
- Hands-free foot control
- Dependable scissors lift mechanism
- Load capacity of 600 lbs. under normal use (272.15 kg)

# Hi-Lo Power Mat Platform with Upholstered Top

• Custom bumper strip protects top's upholstery

253-47	length	width	height range
	7'	4'	22" – 34"
	2.13 m	1.22 m	56 cm – 86 cm
253-57	7' L x 5	' W model (2	2.13 m x 1.52 m)
253-68	8' L x 6'	W model (2	2.43 m x 1.82 m)



253-57 & 253-68 has seamed upholstery

**WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.



### CLASSIC MAT PLATFORMS

### **Upholstered Mat Platform**

- Heavy duty, 6-leg design
- Custom edge bumper strip protects top's upholstery
- 2" foam padding (5 cm)
- Features all hardwood construction
- 700 lbs. load capacity under normal use (317.51 kg)
- Also available with optional 21" height (041) (53 cm)

240-47	length	width	height
	7'	4'	18"
	2.13 m	1.22 m	46 cm
240-57	7' L x 5' W model (2.13 m x 1.52 m)		

**240-68** 8' L x 6' W model (2.43 m x 1.82 m)








Folded Position







- Features full back wall that is floor supported
- Sturdy 3 front-leg design
- Custom edge bumper strip protects top's upholstery
- Projects only 8" from wall when folded
- 500 lbs. load capacity under normal use (226.79 kg)

243-47	length	width	height	
	7'	4'	18"	
	2.13 m	1.22 m	46 cm	
243-57	7' L x 5' V	V model (2.13	m x 1.52 m)	







### PARALLEL BARS

Clinton Parallel Bars are made with the patient and therapist in mind. Sturdy, steel upright construction and smooth stainless steel handrails provide the strength for daily use. Simple height adjustment makes it easy on therapists who need to accommodate multiple individuals and exercise regiments.

### Clinton Parallel Bars feature:

- One piece, 11/2" stainless steel, width adjustable handrails with end bumpers (4 cm)
- Uprights are ultra-heavy, square, chrome-plated, telescoping, steel tubing
- Powder-coated, all-steel, base tube upright
- Height is determined by recessed number strip
- All models, except wall mounted folding unit, feature width adjustment
- Platform models feature 11/2" thick, hardwood, plywood bases with ultra-durable, UV cured, satin finish (4 cm)
- Safety treads at both ends of platform models make it safer for patient to turn and exit wheelchair
- All models are for physical therapy use only

### **Platform Mounted Parallel Bars**

- Stainless steel adjustable handrails
- Optional 045 Obduction Board is available (see page 41)
- 400 lbs. load capacity under normal use (181.43 kg)

3-2007	length	width range	height range
	7'	18" – 28"	26" – 39"
	2.13 m	46 – 71 cm	66 – 99 cm
3-2010		10' long model (3	3 m)
3-2012	12' long model (3.65 m)		

**WARNING:** This prodct can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.



### **Wall Mounted Folding Parallel Bars**

- Stainless steel handrails
- Requires only 14' of floor space when in use
- Folds up against the wall when not in use
- Folded Height 7" 10" (239 cm)
- 400 lbs. load capacity (181.43 kg)

3-3307	length	width	height range
	7'	28"	28" – 42"
	2.13 m	71.12 cm	71 cm – 107



### **Bariatric Parallel Bars**

- Height and width adjustment
- 3rd upright with through pin lock for extra support
- Extra width for bariatric patients
- 48" platform width (121.92 cm)
- 500 lbs. load capacity (226.79 kg)

3-2106	length	width range	height range
_	10'	20" – 34"	26"–39"
	3.04 m	51 cm – 86 cm	66 cm – 99 cm
	3-21	106	

**WARNING:** This prodct can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

### For more information go to www.P65Warnings.ca.gov.

### **Folding Parallel Bars**

- Stainless steel handrails
- Unique double stabilizer bars stiffen the rails
- Spring-loaded plungers and sure-lock positioning knobs
- 350 lbs. load capacity under normal use (158.57 kg)

<b>3-3317</b> length		width range	height range
	7'	16" – 24"	22"-35"
	2.13 m	41 cm – 61 cm	56 cm – 89 cm

**3-3310** 10' long model (3.04 m)



### **Floor Mounted Parallel Bars**

- Stainless steel adjustable handrails
- Same features as platform-mounted model, except it is floor-mounted
- 400 lbs. load capacity when properly mounted (181.43 kg)

3-4007	length	width range	height range
	7'	adjusts 6"/side	26"-39"
	2.13 m	adjusts 15 cm/side	66 cm – 99 cm
3-4010		10' long model (	(3 m)
3-4012		12' long model (3	.65 m)



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

### **CLASSIC SERIES STAIRCASES**

Step up to quality and performance with Clinton's durable line of staircases. Designed with sturdy rails and non-slip treads, our staircases are the perfect choice for every physical therapy facility.

Clinton Classic Staircases feature:

- All hardwood plywood with ultra-durable, UV-cured, satin finish base
- All base edging finished with tough Slate Gray PVC edging (no exposed plywood core)
- Ultra-stable, steel uprights with durable powder coated finish
- Easy-grip, moulded handrails
- Handrails and uprights are pre-assembled sections
- Each model is available in 30" and 36" widths (76 cm & 91 cm)
- Completely assembled with steel fasteners (no glued dowel pins)
- Reinforced bariatric capacity
- All steps are a full 10" deep (25cm)
- Built for years of use

### **Convertible Staircase**

- Converts from straight to corner arrangement
- Two full width, safety treads on each step
- Requires a minimum 9' ceiling (2.74 m)
- 500 lbs. load capacity with normal use (226.79 kg)

4-5080-30	length	width	height	
4 steps	10"	30"	6"	
	25 cm	76 cm	15 cm	_
6 steps	10"	30"	4"	
	25 cm	76 cm	10 cm	_
platform	30"	30"	24"	
	76 cm	76 cm	61 cm	

4-5080-36

36" width model (91 cm)


36" Long platform (91 cm)



Straight Configuration

Corner Configuration

**WARNING:** This product can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer.



### **One-Sided Staircase**

- Small corner staircase for limited space
- Two full width, safety treads on each step
- Requires a minimum 9' ceiling (2.74 m)
- 500 lbs. load capacity under normal use (226.79 kg)

4-5501-30	length	width	height
each step	10"	30"	6"
	25 cm	76 cm	15 cm
platform	24"	30"	24"
	61 cm	76 cm	61 cm
overall	56"	34"	
	142 cm	86 cm	

**4-5501-36** 36" width model (91.44 cm)

40" overall (102 cm)



**WARNING:** Products featured on this page can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

### Small Up/Down Staircase

- Small straight staircase for limited space
- Patient can ascend and descend without turning
- Two full width, safety treads on each step
- Requires a minimum 8' ceiling (2.43 m)
- 500 lbs. load capacity under normal use (226.79 kg)

4-5500-30	length	width	height	
2 steps	10"	30"	6"	
	25 cm	76 cm	15 cm	_
3 steps	10"	30"	4"	
	25 cm	76 cm	10 cm	_
platform	24"	30"	12"	
	61 cm	76 cm	30 cm	_
overall	54"	34"		
	137 cm	86 cm		_

4-5500-36 36" width model (91 cm)

40" overall (102 cm)



### **Bus Step Option**

- Creates a 12" high step when in place (30.47 cm)
- Available option for any staircase with a 6" rise step (15.24 cm)
- MUST BE ORDERED WITH STAIRCASE

101



**WARNING:** Products featured on this page can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

### **SELECT SERIES STAIRCASES**

### Clinton Select Staircases feature:

- 11/2" stainless steel handrails with end bumpers (3.8 cm)
- Fast easy height adjustments with self-indexing, spring action plungers and numbered height indicator strips (no holes to lineup or count)
- Second knob removes any side-to-side play
- Hardwood plywood base with durable, UV satin, topcoat finish
- Assembled with steel fasteners
- All edges are banded with tough, Slate Gray, PVC edge material
- 2 full-width safety treads on each step
- 450 lbs. load capacity under normal use (204.11 kg)
- Reinforced bariatric load capacities

### **Adjustable Small Staircase**

- Adjusts to all ages from children to adult in 11/2" increments (4 cm)
- Patient can ascend and descend without turning
- Requires a minimum 8' ceiling (2.43 m)

4-6500-30	length	width	height
2 steps	10"	30"	6"
	25 cm	76 cm	15 cm
3 steps	10"	30"	4"
	25 cm	76 cm	10 cm
platform	24"	30"	12"
	61 cm	76 cm	30 cm
overall	54"	34"	
	137 cm	86 cm	

4-6500-36

36" width model (91 cm)

40" overall (102 cm)

### **Adjustable One-Sided Staircase**

- Adjusts in 11/2" increments to accommodate all ages, from children to adults 4 cm)
- Requires a minimum 9' ceiling (2.74 m)

4-6501-30	length	width	height
each step	10"	30"	6"
	25 cm	76 cm	15 cm
platform	24"	30"	24
	61 cm	76 cm	61 cm
overall	56"	34"	
	142 cm	86 cm	

4-6501-36

26


36" width model (91.44 cm)

40" overall (102 cm)











adjustments easy

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

### For more information go to www.P65Warnings.ca.gov.

### **EXERCISE AIDS**

### **Nesting Stools**

- All hardwood plywood construction
- Safety tread on all tops

7320	length	width	height
set 1	12"	10"	2"
	30 cm	25 cm	5 cm
set 2	14"	12"	4"
	36 cm	30 cm	10 cm
set 3	18"	14"	6"
	46 cm	36 cm	15 cm
set 4	20"	16"	8"
	51 cm	41 cm	20 cm



**WARNING:** This product can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

### **Adjustable Balance Platform**

- Adjustable height platform mounted handrails
- Platform carpeted for safety
- Easy-grip 1<sup>1</sup>/<sub>2</sub>" diameter stainless steel rails (3.8 cm)

60	length	depth	height range
	36"	36"	26" – 39"
	91.44 cm	91.44 cm	66.04 cm – 99.06 cm



27

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

### **MIRRORS**

### **Wall Mounted Mirror**

- 1/4" thick distortion-free glass mirror with ANSI 297 safety backing (0.63 cm)
- All Maple laminate frame
- Easily attaches to wall with top and bottom mounting cleats

6220	width	depth
	25"	67"
	64 cm	170 cm

**WARNING:** Product can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

### **Mobile Adult Mirror**

- 1/4" thick distortion-free glass (0.63 cm) mirror with ANSI 297 safety backing
- All laminate construction
- Rolls easily on 3" swivel casters (7.62 cm)
- Black ABS plastic bumpers on base sides
- Available only in Maple laminate

6210	width	depth	height
	261/2"	21"	72"
	67 cm	53 cm	183 cm

**! WARNING:** This product can expose you to chemicals, including 1, 3-Butadiene, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov

### **Mobile Mirror with Cuff Weights**

- Same as model 6210 with cuff weights on reverse side
- Holds up to 48 cuff weights (Not included)

6210-9	width	depth	height
	261/2"	21"	72"
	67 cm	52 cm	192 cm

**! WARNING:** This product can expose you to chemicals, including 1, 3-Butadiene, which is known to the State of California to cause cancer or reproductive

For more information go to www.P65Warnings.ca.gov



**6210-9** Front



### **BOLSTERS/WEDGES/PILLOWS**

### **Bolster**

50	diameter	length	
	6"	24"	
	15 cm	61 cm	

### **Bolster**

D0.500.		
51	diameter	length
	8"	24"
	20 cm	61 cm

### Half Round with Flat Side

52	length	width	height
	18"	8"	6"
	76 cm	20 cm	15 cm

### Cube

53	length	width	height
	12"	8"	3"
	76 cm	20 cm	8 cm

### Cube

54	length	width	height
	12"	8"	6"
	76.2 cm	20.32 cm	15.24 cm

### Wedge

56	width	depth	height
	24"	18"	6"
	61 cm	76 cm	15 cm

### Wedge

57	width	depth	height
	20"	32"	12"
	51 cm	81 cm	30 cm

### Wedge

58	length	width	height
	16"	8"	8"
	41 cm	20 cm	20 cm

### Cube/Incline

61	width	depth	height	
	20"	32"	12"	
	51 cm	81 cm	30 cm	

### **Large Pillow**


60	length	width	height
	20"	13"	3"
	51 cm	33 cm	8 cm

### **Small Pillow**

20	length	width	height
	14"	12"	3"
	36 cm	30 cm	8 cm

Clinton bolsters, wedges and pillows feature:

- Firm high density urethane foam core
- Knit-backed, sewn, vinyl cover in choice of color
- Easy-clean surface



29

**WARNING:** Products featured on this page can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

### WEIGHT RACS / CABINET RACS

### Astoria MaxRac with Mirror

- 6 independent, quick-change positions for holding your choice of exercise band (50 yds, (46 m) hollow core center only). All items shown not included.
- Minimum floor space requirement
- Large interior space with door
- Mirror has polished edges & ANSI 297 safety backing
- Raised edge on top provides extra storage space
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight "sliding hook system" makes lateral positioning easy (12 hooks included)
- Strong polycarbonate dumbbell rods are angled for added stability
- Protective bumper moulding around base
- 4" swivel casters/2 locking (8 cm)
- Holds up to 64 cuff weights, 22 dumbbells and 6 rolls of exercise band

5101B	width	depth	height	
	28"	28"	65"	
	71 cm 71 cm			
5101A	Same as 5101B without Mirror			

### Bayside MaxRac with Mirror

- 6 independent, quick-change positions for holding your choice of exercise band (50 yds. (46 m), hollow core center only). All items shown not included.
- Minimum floor space requirement
- Large interior space with door
- Mirror has polished edges & ANSI 297 safety backing
- Raised edge on top allows for extra storage space
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight "sliding hook system" makes lateral positioning easy (12 hooks included)
- Strong polycarbonate dumbbell rods are angled for added stability
- Protective bumper moulding around base
- 4" swivel casters/2 locking (8 cm)
- Holds up to 48 cuff weights, 22 dumbbells 20 weight bars and 6 rolls of exercise band

5102B	width	depth	height	
	28"	28"	65"	
	71 cm	71 cm	165 cm	
5102A	Same as 5102B without Mirror			





Raised edge on top of both 5101 & 5102 models.



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

### LAMINATE COLOR CHOICES

Gray—1GR

Maple—1MP

### Zeus SuperRac

- 6 independent, quick-change positions for holding your choice of exercise band (50 yd. (46 m), hollow core center only). All items shown not included.
- Rac design uses all 4 sides for greater storage capacity
- Minimum floor space requirement
- Raised edge on top provides extra storage space
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight "sliding hook system" makes lateral positioning easy (12 hooks included)
- Strong polycarbonate dumbbell rods are angled for added stability
- 4 drawers and open shelves for additional storage needs
- Protective bumper moulding around base
- 4" swivel casters/2 locking (8 cm)
- Holds up to 22 dumbbells, 20 weight bars, 4 (25 yds.) rolls of hook and loop, 6 rolls of exercise band and 48 cuff weights

5140	width	depth	height
	28"	28"	66"
-	71 cm	71 cm	168 cm

### CabinetRac with Doors

- Versatile, multi-item weight/storage cabinet with 2 locking doors
- 6 independent, quick-change positions for holding your choice of exercise band (50 yds. (46 m), hollow core center only). All items shown not included.
- 4 shelves (3 adjustable, 1 fixed)
- Strong polycarbonate dumbbell rods are angled for added stability
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight "sliding hook system" makes lateral positioning easy (12 hooks included)
- Protective bumper moulding around edge
- 4" swivel casters/2 locking (8 cm)
- Holds up to 48 cuff weights, 22 dumbbells, 6 rolls of exercise band and much more (Not included)

6155	width	depth	height
	29"	23"	62"
	74 cm	58 cm	157 cm











**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

LAMINATE COLOR CHOICES

Gray—1GR

Maple—1MP

Doors Close

# Combo Mirror/Cuff Weight, Band & Dumbbell Rac

- Easy-clean, all laminate construction
- 6 independent, easy change positions for holding your choice of exercise band (50 yds. (46 m), hollow core center only). Items not included.
- Solid surface, no pegboard to chip
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight sliding hook system makes lateral positioning fast and easy (12 hooks included)
- Protective plastic bumpers
- 3" swivel casters/2 locking (8 cm)
- Full length glass mirror with beveled edges and ANSI 297 safety backing
- Strong polycarbonate dumbbell rods are angled for added stability
- Holds up to 32 cuff weights, 22 dumbbells and 6 rolls of exercise band (Not included)

7121	width	depth	height
	31"	24"	71"
	79 cm	61 cm	180 cm

# Combo Mirror Cuff Weight & Dumbbell Rac

- Sleek designed cuff weight/dumbbell rac and mirror combo provides easy access, and storage.
- Easy-clean, all laminate construction
- Solid surface, no pegboard to chip
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight sliding hook system makes lateral positioning fast and easy (12 hooks included)
- Protective plastic bumpers
- 3" swivel casters/2 locking (8 cm)
- Full length glass mirror with beveled edges and ANSI 297 safety backing
- Strong polycarbonate dumbbell rods are angled for added stability
- Holds up to 48 cuff weights and 22 dumbbells (Not included)

7124	width	depth	height	
	31"	24"	71"	
	79 cm	61 cm	180 cm	









**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

### LAMINATE COLOR CHOICES

Gray—1GR

Maple—1MP

# Combo Mirror Cuff Weight/Dumbbell & Band Rac

- Easy-clean, all laminate construction
- 2 rods hold up to 6 hollow core 50 yds. (45.72 m) band rolls. (Not included.)
- Solid surface, no pegboard to chip
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight sliding hook system makes lateral positioning fast and easy (12 hooks included)
- Protective plastic bumpers
- 3" swivel casters/2 locking (8 cm)
- Strong polycarbonate dumbbell rods are angled for added stability
- Full length glass mirror with beveled edges and ANSI 297 safety backing
- Holds up to 32 cuff weights, 22 dumbbells and 6 rolls of exercise band (Not included)

7031-F	width	depth	height
	31"	24"	53"
	79 cm	61 cm	135 cm

Previously model # 7031

### Combo Weight/MirrorRac

- 6 independent, quick-change positions for holding your choice of exercise band (50 yds., hollow core center only). (All items shown not included.)
- Strong polycarbonate dumbbell rods are angled for added stability
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight sliding hook system makes lateral positioning fast and easy (12 hooks included)
- Protective plastic bumpers
- 3" swivel casters/2 locking (8 cm)
- Full length glass mirror with beveled edges and ANSI 297 safety backing
- Holds up to 48 cuff weights, 22 dumbbells, and 6 rolls of exercise band. (Not included)

5154	width	depth	height
	31"	18"	72"
-	79 cm	46 cm	183 cm









33

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

LAMINATE COLOR CHOICES =

Gray—1GR

Maple—1MP

### WEIGHT RACS/TWO-SIDED WEIGHT RACS

### Mobile Cuff Weight/Dumbbell & Band Rac

- Easy-clean, all laminate construction
- 2 rods hold up to 6 hollow core 50 yds. (46 m) band rolls. (Exercise band not included.)
- Solid surface, no pegboard to chip
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight sliding hook system makes lateral positioning fast and easy (12 hooks included)
- Protective plastic bumpers
- 3" swivel casters/2 locking (8 cm)
- Strong polycarbonate dumbbell rods are angled for added stability
- Holds up to 64 cuff weights, 22 dumbbells and 6 rolls of exercise band (Not included)

7019-F	width	depth	height	
	31"	24"	53"	
	79 cm	61 cm	135 cm	

Previously model # 7019

# 7019-F Opposite Side

### Extra Set of Four 4" Sliding Cuff Weight Hooks

- 4" chrome-plated, sliding cuff weight hooks with plastic tip
- For use with Clinton Weight Racs

### XP1001

### Extra Set of Four 10" Sliding Cuff Weight Hooks

- 10" chrome-plated, sliding cuff weight hook with plastic tip
- For use with Clinton Weight Racs

### XP1002



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

### LAMINATE COLOR CHOICES

Gray—1GR

Maple—1MP

### Mobile Cuff Weight & Dumbbell Rac

- Easy-clean, all laminate construction
- Solid surface, no pegboard to chip
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight sliding hook system makes lateral positioning fast and easy (12 hooks included)
- Protective plastic bumpers
- 3" swivel casters/2 locking (8 cm)
- Strong polycarbonate dumbbell rods are angled for added stability
- Holds up to 32 cuff weights and 22 dumbbells (Not included)

7027-F	width	depth	height
	25"	19"	53"
	64 cm	48 cm	135 cm

Previously model # 7027





Opposite Side

### Mobile Cuff Weight & Band Rac

- Easy-clean, all laminate construction
- 2 rods hold up to 6 hollow core 50 yds. band rolls.(Exercise band not included.)
- Solid surface, no pegboard to chip
- ClintonClean™ solid plastic, cuff weight strips
- Cuff weight sliding hook system makes lateral positioning fast and easy (12 hooks included)
- Protective plastic bumpers
- 3" swivel casters/2 locking (8 cm)
- Holds up to 32 cuff weights and
   6 rolls of exercise band (Not included)

7029	- <b>F</b> width	depth	height
	25"	19"	53"
	64cm	48 cm	135 cm

Previously model # 7029





**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

LAMINATE COLOR CHOICES -

Gray—1GR

Maple—1MP

### MISCELLANEOUS RACS

### Slim, Weight Rac/Kiosk

- Creative slim design combines aesthetic appeal and function. (Weights and other items not included.)
- Minimum floor space requirement
- 6 adjustable cuff weight shelves
- ClintonClean<sup>™</sup> solid plastic base
- Holds cuff weights, 22 dumbbells and much more (Not included)

5114M	width	depth	height
	291/2"	14"	54"
	75 cm	36 cm	137 cm

**WARNING:** Product can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.



(Rolls, canes and crutches not included.)

- Mounts to wall in two pieces (Mounting hardware not included. Check with your building maintenance professional for the proper fasteners for your specific wall construction.)
- Includes seven, 10" hooks (25 cm)
- Gray, laminate and ClintonClean™ construction
- Easy-clean surface

5516	width	depth	height
	60"	1.25"	6"
	152 cm	3 cm	15 cm

Extra Set of Four Sliding Hooks (10") for Crutch Racs (25 cm)

XP1002

**WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.





5516



### LAMINATE COLOR CHOICES

Back



### **Dumbbell Strip/Gray**

- Wall mounted with pre-drilled mounting holes included
- Strong polycarbonate rods, angled for stability
- Gray laminate surface
- Holds up to 11 dumbbells (Not included)

5113K	width	height	
	3"	48"	
	8 cm	122 cm	



### Wall Weight Bar Rac

- Plastic mounting hooks will not scratch bars
- Laminate surface
- Mounting holes included
- Holds 8 weight bars (Not included)

4716	depth	height
	231/2"	361/2"
	60 cm	93 cm



37

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

### TREATMENT CABINETS

Clinton Bedside Cabinets Treatment Cabinets and Mobile Carts are designed with the needs of the medical profession in mind. Built tough, with a wide range of sizes, models and a variety of storage configurations, Clinton bedside, treatment cabinets and carts are the perfect complement to any medical facility.

Available only in Clinton Classic laminates.

Clinton Bedside, Treatment Cabinets andfeature:

- Easy-clean, all laminate construction
- Tough, chip-resistant edges
- Cabinets are assembled with steel fasteners, not glued wooden dowels
- 3-way adjustable, 110°, soft-close, door hinges
- Self-closing, drawers with metal sides that hold up to
- Recessed toe kick or dual wheel caster bases
- Adjustable drawer fronts
- Mix color choices for top, sides and fronts
- Select models are available with a one-piece, gray, ABS molded top rimmed on all sides
- Built with laminated panels that are California CARB II compliant
- 200 lbs. load capacity under normal use



### Mobile, Treatment Cabinet with 2 Doors and 1 Drawer

- 1 adjustable shelf
- Smooth-glide, drawer that hold up to 75 lbs. (34 kg)
- All laminate base with plastic bumpers
- Concealed, adjustable, soft-close, door hinges
- All laminate top with 3<sup>1</sup>/<sub>4</sub>" backsplash (8.25 cm)
- Self-closing doors and drawer with bumpers
- Mounted on 3" dual wheel, swivel casters (2 locking)
- Plastic bumpers on each side of base

8921	width	depth	height	
	24"	18 <sup>1</sup> / <sub>4</sub>	35 <sup>1</sup> /4"	
	61 cm	46 cm	90 cm	

### Mobile. Treatment Cabinet with 2 Doors and 2 Drawers

- 1 adjustable shelf
- Smooth-glide, drawers that hold up to 75 lbs. (34 kg)
- All laminate base with plastic bumpers
- Concealed, adjustable, soft-close, door hinges
- All laminate top with 3<sup>1</sup>/<sub>4</sub>" backsplash (8.25 cm)
- Self-closing doors and drawers with bumpers
- Mounted on 3" dual wheel, swivel casters (2 locking)
- Plastic bumpers on each side of base

8922	width	depth	height
	24"	181/4	35 <sup>1</sup> /4"
	61 cm	46 cm	90 cm

### Mobile, Treatment Cabinet with 5 Drawers

- Smooth-glide, drawers that hold up to 75 lbs. (34 kg)
- All laminate base with plastic bumpers
- All laminate top with 3<sup>1</sup>/<sub>4</sub>" backsplash (8.25 cm)
- Self-closing drawers with bumpers
- Mounted on 3" dual wheel, swivel casters (2 locking)
- Plastic bumpers on each side of base

8950	width	depth	height	
	24"	18 <sup>1</sup> /4	35 <sup>1</sup> /4"	
	61 cm	46 cm	90 cm	

WARNING: Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www. P65Warnings.ca.gov.




### 8805

### **Treatment Cabinet with 5 Drawers**

- Smooth glide tracks for easy open and close
- Smooth-glide, drawers that hold up to 75 lbs. (34 kg)
- All laminate base
- All laminate top with 3<sup>1</sup>/<sub>4</sub>" backsplash (8.25 cm)
- Self-closing drawers with bumpers

8805	width	depth	height	
	24"	18 <sup>1</sup> /4"	35"	
	61 cm	46 cm	89 cm	



- 1 adjustable shelf
- Smooth-glide, drawer that hold up to 75 lbs. (34 kg)
- Concealed, adjustable, soft-close, door hinges
- All laminate base
- All laminate top with 3<sup>1</sup>/<sub>4</sub>" backsplash (8.25 cm)
- Self-closing doors and drawer with bumpers

8821	width	depth	height	
	24"	18 <sup>1</sup> / <sub>4</sub>	35"	
	61 cm	46 cm	89 cm	_

### 8821



### Treatment Cabinet with 2 Doors & 2 Drawers

- 1 adjustable shelf
- Smooth-glide, drawers that hold up to 75 lbs. (34 kg)
- Concealed, adjustable, soft-close, door hinges
- All laminate base
- All laminate top with 3<sup>1</sup>/<sub>4</sub>" backsplash (8.25 cm)
- Self-closing doors and drawers with bumpers

8822	width	depth	height	
	24"	18 <sup>1</sup> /4	35"	
	61 cm	46 cm	89 cm	

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

# Molded Top, Treatment Cabinet with

- Laminate interior construction
- Laminate or optional Fashion Finish exterior
- One-piece, vacuum-formed, gray haircell textured top rimmed on all sides,
- 1 adjustable shelf

2 Doors & 1 Drawer

- Self-closing, smooth-glide, drawer with metal sides holds up to 75 lbs. (34 kg)
- Concealed, adjustable, soft-close, door hinges

8821-A	width	depth	height
8821-AF			
	<b>24</b> <sup>1</sup> /2"	183/8"	35"
	62 cm	47 cm	89 cm

# Molded Top, Treatment Cabinet with 2 Doors & 2 Drawers

- Laminate interior construction
- Laminate or optional Fashion Finish exterior
- One-piece, vacuum-formed, gray, haircell textured top rimmed on all sides
- 1 adjustable shelf
- Self-closing, smooth-glide, drawers with metal sides hold up to 75 lbs. (34 kg)
- Concealed, adjustable, soft-close, door hinges

8822-A	width	depth	height
8822-AF			
	241/2"	183/8"	35"
	62 cm	47 cm	89 cm

# Moulded Top, Treatment Cabinet with 5 Drawers

- Laminate interior construction
- Laminate or optional Fashion Finish exterior
- One-piece, vacuum-formed, gray, haircell textured top rimmed on all sides
- Smooth glide tracks for easy open and close
- Self-closing, smooth-glide, drawers with metal sides hold up to 75 lbs. (34 kg)

8805-A	width	depth	height
8805-AF			
	241/2"	183/8"	35"
	62 cm	47 cm	89 cm







8821-AF/Fashion Finish









8805-A/Laminate



8805-AF/Fashion Finish

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

# - fashion finish













8950-AF/Fashion Finish

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

# Moulded Top, Mobile, Treatment Cabinet with 2 Doors & 1 Drawer

- Laminate interior construction
- Laminate or optional Fashion Finish exterior
- One-piece, vacuum-formed, gray, haircell textured top rimmed on all sides
- 1 adjustable shelf
- Self-closing, smooth-glide, drawer with metal sides holds up to 75 lbs. (34 kg)
- Concealed, adjustable, soft-close, door hinges
- Mounted on 3" dual wheel, swivel casters (2 locking)
- Plastic bumpers on each side of base

8921-A	width	depth	height
8921-AF			
	241/2"	183/8"	35"
	62 cm	47 cm	89 cm

# Moulded Top, Mobile, Treatment Cabinet with 2 Doors & 2 Drawers

- Laminate interior construction
- Laminate or optional Fashion Finish exterior
- One-piece, vacuum formed, gray, haircell textured top rimmed on all sides
- 1 adjustable shelf
- Self-closing, smooth-glide, drawers with metal sides hold up to 75 lbs. (34 kg)
- Concealed, adjustable, soft-close, door hinges
- Mounted on 3" dual wheel, swivel casters (2 locking)
- Plastic bumpers on each side of base

8922-A	width	depth	height
8922-AF			
	241/2"	183/8"	35"
	62 cm	47 cm	89 cm

# Moulded Top, Mobile, Treatment Cabinet with 5 Drawers

- Laminate interior construction
- Laminate or optional Fashion Finish exterior
- One-piece, vacuum-formed, gray, haircell textured top rimmed on all sides
- Self-closing, smooth-glide, drawers with metal sides hold up to 75 lbs. (34 kg)
- Self-closing drawers with bumpers
- Mounted on 3" dual wheel, swivel casters (2 locking)
- Plastic bumpers on each side of base

8950-A	width	depth	height
8950-AF			
	241/2"	183/8"	35"
	62 cm	47 cm	89 cm

### **Chrome Base Stool**

- Round foot ring
- 2" rubber wheel, ball bearing casters (5 cm)

2102	seat diameter	height range
	14"	181/2"- 251/2"
_	36 cm	47 cm – 65 cm

### 5-Leg Pneumatic Stool

- Dual wheel casters
- 23" cast aluminum base (58.42)

2155	seat diameter	height range
	16"	18"- 231/2"
	41 cm	46 cm = 60 cm



**WARNING:** The two products pictured above can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

### 5-Leg Pneumatic Stool

- Dual wheel casters
- Black nylon base

2135	seat diameter	height range
	16"	19"- 24 <sup>1</sup> /2"
	41 cm	48 cm = 62 cm

### Black Frame Chair/No Arms

- Great looking, powder-coated frame
- All seats and backrests have solid, plywood base
- 2" thick, firm foam, padded seat and backrest
- Adjustable leg levelers
- Contour seat and backrest
- Heavy duty, knit-backed, vinyl upholstery
- 300 lbs. load capacity under normal use

C-40B	seat	seat height	
	17 <sup>1</sup> /2" x 18"	18"	

### **Black Frame Chair with Arms**

- Great looking, powder-coated frame
- All seats and backrests have solid, plywood base
- 2" thick, firm foam, padded seat and backrest
- Adjustable leg levelers
- Contour seat and backrest
- Heavy duty, knit-backed, vinyl upholstery
- 300 lbs. load capacity under normal use

C-50B	seat	seat height	
	17 <sup>1</sup> /2" x 18"	18""	



**WARNING:** The three products pictured above can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

### STEP STOOLS

### **Step Stool**

- Chrome plated steel
- Rubber tread top for safety
- Rubber feet
- 350 lbs. load capacity under normal use

Г-40	length	width	height	
	14 <sup>1</sup> /4"	14 <sup>1</sup> /4"	9"	
-	36 cm	36 cm	23 cm	

### Step Stool with Hand Rail

- Chrome plated steel
- Rubber tread top for safety
- 7/8" diameter handrail 36" high (2.22 cm diameter, 91.44 cm high)
- Rubber feet
- 350 lbs. load capacity under normal use

T-50	length	width	height	
	141/4"	14 <sup>1</sup> /4"	9"	
	36 cm	36 cm	23 cm	

# Large Bariatric Step Stool with Hand Rail

- Durable chrome plated steel
- Extra wide and deep top
- Welded reinforced X-brace
- Rubber tread top for safety
  1" diameter handrail 36" high (3 cm diameter, 91 cm high)
- Rubber feet
- 600 lbs. load capacity under normal use

T-6250	length	width	height	
	17 <sup>1</sup> /4"	12 <sup>1</sup> /4"	9"	
	43.81 cm	31 11 cm	22 86 cm	

### Large Bariatric Step Stool

- Durable chrome plated steel
- Extra wide and deep top
- Welded reinforced X-brace
- Rubber tread top for safety
- 600 lbs. load capacity under normal use

-6242	length	width	height	
	17 <sup>1</sup> /4"	12 <sup>1</sup> /4"	9"	
	44 cm	31 cm	23 cm	

### **PT Scooter Stool**

- 4 chrome legs
- 2" padded upholstered top (5 cm)
- 2" ballbearing swivel casters (5 cm)
- 250 lbs. load capacity under normal use

2111	length	width	height
	15"	15"	18"
	38 cm	38 cm	46 cm




**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

43

For more information go to www.P65Warnings.ca.gov.

2111





800-441-9131 • 717-848-3519 Toll-Free Fax 866-522-1233 Fax 717-843-5871 www.clinton-ind.com