



Clinton takes power tables to new heights with a complete line of Power, Hi-Lo Tables designed and engineered to fit the needs of physicians, technicians and therapists.

Clinically proven in the field, Clinton Power Tables, are among the best in their class. With quality construction, dependable smooth, operation and enough power to satisfy nearly every need, Clinton Power Tables are practical, and best of all, affordable.

Welded steel construction makes them tough and two inches of firm foam padding topped with premium, knit-backed vinyl makes patient comfort a priority in all our models. Choose your Power, Hi-Lo Table by selecting a load capacity to fit your needs in either Shrouded or Open Base models. Clinton also offers Open Base Power Imaging Tables or Power Ultrasound and Imaging Trendelenburg Tables to meet specific needs.

Make Clinton your one source for affordable, convenient Power, Hi-Lo Tables — and plug into the power of Clinton.

INDEX

Shrouded, Power Tables .....	2-7
Open Base, Power Tables.....	8-15
Power XL Tables .....	16-17
Open Base, Power, Imaging Table .....	18-19
E-Series Power Tables.....	20-21
Power, Ultrasound, Trendelenburg Tables.....	22-25
Power, Imaging, Trendelenburg Tables .....	26-29
Power Table Options .....	30-31
Ready Room™ .....	32-33



**IMPORTANT NOTE TO DISTRIBUTORS DOING BUSINESS IN CALIFORNIA:**  
Clinton Industries products drop shipping or to our knowledge being reshipped into California will carry appropriate Safe Harbor Warnings in compliance with California Proposition 65.

For more information on California Proposition 65, go to: [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Clinton power tables are among the most practical and affordable power exam tables on the market. They offer smooth dependable power, stylish design and dependable service.  
Clockwise from left to right: 81360–Shrouded Power Table with Adjustable Backrest, Drop Section & Stirrups; 81330–Shrouded Power Table with Adjustable backrest & Drop Section; 80079–Multi-Use, Power Imaging, Trendelenburg Table with Adjustable Backrest, Drop Section & Stirrups; 80330 Open Base Power Imaging Table with Adjustable Backrest & Drop Section.



POWER 400

POWER 400, Shrouded, Power Tables feature:

- Ultra-strong, uni-frame constructed base and top frame provides a rigid patient platform
- All welded steel base and top frame
- 3/4" plywood top for extra support (1.9 cm)
- Textured ABS plastic encloses lift mechanism and makes cleaning easier
- Smooth electric height adjustment moves straight up and down
- On models with backrest, Pneumatic, backrest cylinder is internally mounted on the frame for a cleaner appearance
- Hardened bolts and self lubricating pivot points for years of service
- Dependable 110 volt motor
- Hands-free foot control
- Optional casters, safety rails and more
- Made in the USA by Clinton Industries
- Low heights may help achieve ADA accessibility tax credit
- Dependable scissors lift mechanism
- Many different top configurations and options available
- Ships fully assembled with no upcharge
- 400 lbs. combined load and force capacity under normal use (181 kg)

POWER 400, Shrouded, Power Table with One Piece Top

- Optional side rails, locking casters & more (pages 30 & 31)

81104	length	width	height range
overall	72"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm

Power 400, Shrouded, Power Table with Adjustable Backrest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Optional side rails, locking casters & more (pages 30 & 31)

81204	length	width	height range
overall	72"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm
backrest	38"	27"	
	97 cm	69 cm	



81204



81104

**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

POWER 400, Shrouded, Power Table with Drop Section

- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Optional side rails, locking casters & more (pages 30 & 31)

81222	length	width	height range
overall	76"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm
drop section	13"	27"	
	33 cm	69 cm	



81222

POWER 400, Shrouded, Power Table with Adjust. Backrest and Drop Section

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Optional side rails, locking casters & more (pages 30 & 31)

81334	length	width	height range
overall	76"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm
backrest	38"	27"	
	97 cm	69 cm	



81334

POWER 400, Shrouded, Power Table with Adjust. Backrest and Drop Section and Stirrups

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Retractable, 2-position, length adjustable stirrups
- Optional side rails, locking casters & more (pages 26-27)

81364	length	width	height range
overall	76"	27"	21"-34"
	193 cm	69 cm	53 cm – 86 cm
backrest	38"	27"	
	97 cm	69 cm	
drop section	13"	27"	
	33 cm	69 cm	



81364

**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

POWER 500

- Shrouded, Power Tables feature:*
- Ultra-strong, uni-frame constructed base and top frame provides a rigid patient platform
  - All welded steel base and top frame
  - 3/4" plywood top for extra support (1.9 cm)
  - Textured ABS plastic encloses lift mechanism and makes cleaning easier
  - Smooth electric height adjustment moves straight up and down
  - Pneumatic, backrest cylinder is internally mounted on the frame for a cleaner appearance
  - Hardened bolts and self lubricating pivot points for years of service
  - Dependable 110 volt motor
  - Hands-free foot control
  - Optional casters, safety rails and more
  - Made in the USA by Clinton Industries
  - Low heights may help achieve ADA accessibility tax credit
  - Dependable scissors lift mechanism
  - Many different top configurations and options available
  - Ships fully assembled with no upcharge
  - 500 lbs. combined load and force capacity under normal use (227 kg)

POWER 500, Shrouded, Power Table with One Piece Top

- Optional side rails, locking casters & more (pages 30 & 31)

81100	length	width	height range
overall	72"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm

POWER 500, Shrouded, Power Table with Adjustable Backrest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Optional side rails, locking casters & more (pages 30 & 31)

81200	length	width	height range
overall	72"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm
backrest	38"	27"	
	97 cm	69 cm	



81200



81100

**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P6SWarnings.ca.gov](http://www.P6SWarnings.ca.gov).



Shown with optional, solid drop section

POWER 500, Shrouded, Power Table with Adjustable Backrest & Drop Section

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Drop section is adjustable from either side and raises up to 30° from flat position
- Standard drop section has nose hole, but it may be ordered without nose hole (specify when ordering)
- Optional side rails, locking casters & more (pages 30 & 31)

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P6SWarnings.ca.gov](http://www.P6SWarnings.ca.gov).



81330

81330	length	width	height range
overall	76"	27"	21"-34"
	193 cm	69 cm	53 cm – 86 cm
backrest	38"	27"	
	97 cm	69 cm	
drop section	13"	27"	
	33 cm	69 cm	



SHROUDED, POWER TABLES

POWER 500, Shrouded, Space Saver Power Table with Drop Section

- Drop section is adjustable from either side and raises up to 30° from flat position
- Standard drop section has nose hole, but it may be ordered without nose hole (*specify when ordering*)
- Optional side rails, locking casters & more (*pages 30 & 31*)

81220	length	width	height range
overall	76"	27"	21"-34"
	193 cm	69 cm	53 cm – 86 cm
drop section	13"	27"	
	33 cm	69 cm	

POWER 500, Shrouded, Power Table with Adjustable, Casting Table with ClintonClean™ Leg Rest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- ClintonClean™ Solid Plastic Surface leg rest is adjustable from either side and raises up to 30° from flat position
- Optional side rails, locking casters & more (*pages 30 & 31*)

81350	length	width	height range
overall	76"	27"	21"-34"
	193 cm	69 cm	53 cm – 86 cm
backrest	38"	27"	
	97 cm	69 cm	
leg rest	13"	26"	
	33 cm	66 cm	

POWER 500, Shrouded, Power Table with Stirrups, Adjustable Backrest & Footrest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Footrest is adjustable from either side and raises up to 30° from flat position
- Retractable, 2-position, adjustable stirrups
- Optional side rails, locking casters & more (*pages 30 & 31*)

81360	length	width	height range
overall	76"	27"	21"-34"
	193 cm	69 cm	53 cm – 86 cm
backrest	38"	27"	
	97 cm	69 cm	
footrest	13"	19"	
	33 cm	48 cm	



**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

SHROUDED, EXTRA-WIDE, BARIATRIC, POWER TABLES

POWER 600 BARIATRIC

POWER 600 Bariatric, Shrouded, Extra-Wide Straight Power Table

- All welded, uni-frame steel base and top frame
- 600 lbs. load capacity under normal use (272 kg)
- Optional side rails, locking casters & more (*pages 30 & 31*)

84108-34	length	width	height range
overall	72"	34"	21"-34"
	183 cm	86 cm	53 cm – 86 cm

84108-40 40" (101.60 cm) width model

POWER 600 Bariatric, Shrouded, Extra-Wide, Power Table with Adjustable Backrest

- Dual cylinder, pneumatic backrest, adjustable from either side and raises up to 80° from flat
- 600 lbs. load capacity under normal use (272 kg)
- Optional side rails, locking casters & more (*pages 30 & 31*)

84208-34	length	width	height range
overall	72"	34"	21"-34"
	183 cm	86 cm	53 cm – 86 cm
backrest	38"	34"	
	97 cm	86 cm	

84208-40 40" (101.60 cm) width model

POWER 600 Bariatric, Shrouded, Extra-Wide, Power Table with Adjustable Backrest & Drop Section

- Dual cylinder pneumatic backrest, adjustable from either side and raises up to 80° from flat
- Drop section is adjustable from either side and raises up to 30° from flat position
- Standard drop section has nose hole, but it may be ordered without nose hole (*specify when ordering*)
- 600 lbs. load capacity under normal use (272 kg)
- Optional side rails, locking casters & more (*pages 30 & 31*)

84438-34	length	width	height range
overall	76"	34"	21"-34"
	193 cm	86 cm	53 cm – 86 cm
backrest	38"	34"	
	97 cm	86 cm	
drop section	13"	34"	
	33 cm	86 cm	

84438-40 40" (101.60 cm) width model



**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

POWER 400

POWER 400, Open Base, Power Tables feature:

- Ultra-strong uni-frame constructed base and top frame provides a rigid patient platform
- 3/4" plywood top for extra support (1.9 cm)
- All welded steel base, top frame and scissors lift
- Smooth electric height adjustment moves straight up and down
- Pneumatic, backrest cylinder are internally mounted on the frame for a cleaner appearance
- Hardened bolts and self lubricating pivot points for years of service
- Dependable 110 volt motor
- Hands-free foot control
- Optional casters, safety rails and more
- Made in the USA by Clinton Industries
- Low heights may help achieve ADA accessibility tax credit
- Dependable scissors lift mechanism
- Many different top configurations and options available
- 5-year limited warranty on frame and electrical components
- Ships fully assembled with no upcharge
- 400 lbs. combined load and force capacity under normal use (181 kg)



POWER 400, Open Base, Power Table with One Piece Top

- Optional side rails, locking casters & more (pages 30 & 31)

82110	length	width	height range
overall	72" 183 cm	27" 69 cm	21"-34" 53 cm – 86 cm

POWER 400, Open Base, Power Table with Adjustable Backrest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Optional side rails, locking casters & more (pages 30 & 31)

82200	length	width	height range
overall	72" 183 cm	27" 69 cm	21"-34" 53 cm – 86 cm
backrest	38" 97 cm	27" 69 cm	



**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

POWER 400, Open Base, Power Table with Drop Section

- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Optional side rails, locking casters & more (pages 30 & 31)

82240	length	width	height range
overall	76" 183 cm	27" 69 cm	21"-34" 53 cm – 86 cm
drop section	13" 33 cm	27" 69 cm	



POWER 400, Open Base, Power Table with Adjust. Backrest and Drop Section

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Optional side rails, locking casters & more (pages 30 & 31)

82330	length	width	height range
overall	76" 183 cm	27" 69 cm	21"-34" 53 cm – 86 cm
backrest	38" 97 cm	27" 69 cm	



POWER 400, Open Base, Power Table with Adjust. Backrest and Drop Section and Stirrups

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Retractable, 2-position, length adjustable stirrups
- Optional side rails, locking casters & more (pages 30 & 31)

82360	length	width	height range
overall	76" 193 cm	34" 86 cm	21"-34" 53 cm – 86 cm
backrest	38" 97 cm	34" 86 cm	
drop section	13" 33 cm	34" 86 cm	



**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



POWER 400, Open Base, Power Table with One Piece Top

- Optional side rails, locking casters & more (pages 30 & 31)

82117	length	width	height range
overall	72"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm



POWER 400, Open Base, Power Table with Adjustable Backrest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Optional side rails, locking casters & more (pages 30 & 31)

82207	length	width	height range
overall	72"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm
backrest	38"	27"	
	97 cm	69 cm	



POWER 400, Open Base, Power Table with Drop Section

- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Optional side rails, locking casters & more (pages 30 & 31)

82247	length	width	height range
overall	76"	27"	21"-34"
	183 cm	69 cm	53 cm – 86 cm
drop section	13"	27"	
	33 cm	69 cm	



**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

POWER 400, Open Base, Power Table with Adjust. Backrest and Drop Section

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Optional side rails, locking casters & more (pages 30 & 31)

82307	length	width	height range
overall	76"	34"	21"-34"
	193 cm	86 cm	53 cm – 86 cm
backrest	38"	34"	
	97 cm	86 cm	
drop section	13"	34"	
	33 cm	86 cm	



**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

POWER 500

POWER 500, Open Base, Power Tables feature:

- Ultra-strong uni-frame constructed base and top frame provides a rigid patient platform
- 3/4" plywood top for extra support (1.9 cm)
- All welded steel base, top frame and scissors lift
- Smooth electric height adjustment moves straight up and down
- Pneumatic, backrest cylinder are internally mounted on the frame for a cleaner appearance
- Hardened bolts and self lubricating pivot points for years of service
- Dependable 110 volt motor
- Hands-free foot control
- Optional casters, safety rails and more
- Made in the USA by Clinton Industries
- Low heights may help achieve ADA accessibility tax credit
- Dependable scissors lift mechanism
- Many different top configurations and options available
- Ships fully assembled with no upcharge
- 500 lbs. combined load and force capacity under normal use (227 kg)



- POWER 500, Open Base, Power Table with Stirrups, Adjustable Backrest & Footrest**
- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
  - Footrest is adjustable from either side and lowers up to 80° from flat position
  - Retractable, 2-position, adjustable stirrups
  - Optional side rails, locking casters & more (pages 30 & 31)

80360	length	width	height range
overall	76" 193 cm	27" 69 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	27" 69 cm	
footrest	13" 33 cm	19" 48 cm	

**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

- POWER 500, Open Base, Power Table with One Piece Top**
- Optional side rails, locking casters & more (pages 30 & 31)

80100	length	width	height range
	72" 183 cm	27" 69 cm	18"-35" 46 cm – 89 cm



- POWER 500, Open Base, Power Table with Adjustable Backrest**
- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
  - Optional side rails, locking casters & more (pages 30 & 31)

80200	length	width	height range
overall	76" 193 cm	27" 69 cm	18"-35" 46 cm – 89 cm
Backrest	38" 97 cm	27" 69 cm	



- POWER 500, Open Base, Power Table with Adjustable Backrest & Drop Section**
- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
  - Drop section, adjustable from either side and lowers up to 80° from flat position
  - Standard drop section has nose hole, but it may be ordered without nose hole (specify when ordering)
  - Optional side rails, locking casters & more (pages 30 & 31)

80330	length	width	height range
overall	76" 193 cm	27" 69 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	27" 69 cm	
drop section	13" 33 cm	27" 69 cm	



**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



POWER 500, Space Saver, Power Table with Drop Section

- Drop section is adjustable from either side and lowers up to 80° from flat position
- Standard drop section has nose hole, but it may be ordered without nose hole (*specify when ordering*)
- 500 lbs. load capacity under normal use (227 kg)
- Optional side rails, locking casters & more (*pages 30 & 31*)

80220	length	width	height range
overall	76"	27"	18"-35"
	193 cm	69 cm	46 cm – 89 cm
drop section	13"	27"	
	33 cm	69 cm	



POWER 500, Power Table, Adjustable Casting Table with ClintonClean™ Surface Leg Rest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Footrest is adjustable from either side and lowers up to 80° from flat position
- ClintonClean™ Solid Plastic Surface leg rest is adjustable from either side and raises up to 30° from flat position
- 500 lbs. load capacity under normal use (227 kg)
- Optional side rails, locking casters & more (*pages 30 & 31*)

80350	length	width	height range
overall	76"	27"	18"-35"
	193 cm	69 cm	46 cm – 89 cm
backrest	38"	27"	
	97 cm	69 cm	
leg rest	13"	26"	
	33 cm	66 cm	



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

POWER 600 BARIATRIC

Open Base, Extra-Wide, Bariatric, Straight Power Table

- All welded, uni-frame steel base and top frame
- 600 lbs. load capacity under normal use (272 kg)
- Optional side rails, locking casters & more (*pages 30 & 31*)

84100-34	length	width	height range
overall	72"	34"	18"-35"
	183 cm	86 cm	46 cm – 89 cm

84100-40 Same as above with 40" width (102 cm)



Open Base, Power Table with Adjustable Backrest

- Dual cylinder, pneumatic backrest, adjustable from either side and raises up to 80° from flat
- All welded, uni-frame steel base and top frame
- 600 lbs. load capacity under normal use (272 kg)
- Optional side rails, locking casters & more (*pages 30 & 31*)

84200-34	length	width	height range
overall	72"	34"	18"-35"
	183 cm	86 cm	46 cm – 89 cm
backrest	38"	34"	
	97 cm	86 cm	

84200-40 Same as above with 40" widths (102 cm)



Open Base, Power Table with Adjustable Backrest & Drop Section

- Dual cylinder pneumatic backrest, adjustable from either side and raises up to 80° from flat
- Drop section is adjustable from either side and lowers up to 80° from flat position
- Standard drop section has nose hole, but it may be ordered without nose hole (*specify when ordering*)
- 600 lbs. load capacity under normal use (272 kg)
- Optional side rails, locking casters & more (*pages 30 & 31*)

84430-34	length	width	height range
overall	76"	34"	18"-35"
	193 cm	86 cm	46 cm – 89cm
backrest	38"	34"	
	97 cm	86 cm	
drop section	13"	34"	
	33 cm	86 cm	

84430-40 Same as above with 40" widths (102 cm)



OPEN BASE, POWER XL TABLES

CLINTON OPEN BASE & SHROUDED  
**POWERXL**  
Extra Width, Extra Capacity, Extra Affordable

Power XL Tables feature:

- 600 lbs. (272 kg) load capacity under normal use
- 5-year limited warranty on frame and electric motor drive
- Smooth, electric, raise and lower height adjustment
- Pneumatic backrest cylinder is mounted internally
- Heavy duty, steel frame is fabricated in the USA by Clinton Industries
- Dependable scissors-lift features an H-leg design for extra stability
- 30" Rounded corner 3/4" plywood top with 2" of ultra firm padding covered by heavy weight upholstery
- Harden steel bolts and self lubricating pivot bearings for years of dependable service
- Low height may help achieve ADA tax credit
- Optional side rails, locking casters & more (pages 30 & 31)



80199



80299



80399

Open Base, Power XL Table with One Piece To  
• Top is 76" long x 30" wide

80199	length	width	height range
overall	72" 183 cm	30" 76 cm	18"-35" 46 cm – 89 cm

Open Base, Power XL Table with Adjustable Backrest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position

80299	length	width	height range
overall	76" 183 cm	30" 76 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	30" 76 cm	

Open Base, Power XL Table with Adjust. Backrest and Drop Section

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Footrest is adjustable from either side and lowers up to 80° from flat position

85309	length	width	height range
overall	72" 183 cm	30" 76 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	30" 76 cm	
footrest	13" 33 cm	30" 76 cm	

SHROUDED, POWER XL TABLES

Shrouded, Power XL Table with One Piece Top

- Top is 76" long x 30" wide
- Textured ABS plastic encloses lift mechanism and makes cleaning easier

80199	length	width	height range
overall	72" 183 cm	30" 76 cm	18"-35" 46 cm – 89 cm

Shrouded, Power XL Table with Adjustable Backrest

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Textured ABS plastic encloses lift mechanism and makes cleaning easier

80299	length	width	height range
overall	76" 183 cm	30" 76 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	30" 76 cm	

Shrouded, Power XL Table with Adjust. Backrest and Drop Section

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Footrest is adjustable from either side and lowers up to 80° from flat position
- Textured ABS plastic encloses lift mechanism and makes cleaning easier

85309	length	width	height range
overall	72" 183 cm	30" 76 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	30" 76 cm	
footrest	13" 33 cm	30" 76 cm	



81199



81299



81399

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Open Base, Power Imaging Tables feature:

- Ultra-strong uni-frame constructed base and top frame provides a rigid patient platform
- 3/4" plywood top for extra support (1.9 cm)
- All welded steel base, top frame and scissors lift
- Smooth electric height adjustment moves straight up and down
- Pneumatic, backrest cylinder are internally mounted on the frame for a cleaner appearance
- Hardened bolts and self lubricating pivot points for years of service
- Built-in hinged window drop. 10" x 10"
- Metal slide bar supports window drop
- Dependable 110 volt motor
- Hands-free foot control
- Optional casters, safety rails and more
- Made in the USA by Clinton Industries
- Low heights may help achieve ADA accessibility tax credit
- Dependable scissors lift mechanism that does not need to roll on the floor
- Many different top configurations and options available
- 5-year limited warranty on frame and electrical components
- Ships fully assembled with no upcharge

Open Base, Multi-Use, Power Imaging Table with Stirrups

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Footrest is adjustable from either side and lowers up to 80° from flat position
- Retractable, 2-position, adjustable stirrups
- 500 lbs. load capacity under normal use (227 kg)
- Optional side rails, locking casters & more (pages 30 & 31)

85309	length	width	height range
overall	76" 193 cm	27" 69 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	27" 69 cm	
footrest	13" 33 cm	19" 48 cm	



**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.  
For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Open Base, Power Imaging Table with Window Drop

- 500 lbs. load capacity under normal use (227 kg)
- Optional side rails, locking casters & more (pages 30 & 31)

85100	length	width	height range
	72" 183 cm	27" 69 cm	18"-35" 46 cm – 89 cm



Open Base, Power Imaging Table with Adjustable Backrest and Window Drop

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- All welded steel base, top frame and scissors lift
- 500 lbs. load capacity under normal use (227 kg)
- Optional side rails, locking casters & more (pages 30 & 31)

85200	length	width	height range
overall	72" 183 cm	27" 69 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	27" 69 cm	



Power Imaging Table with 3 Section Top

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Footrest is adjustable from either side and lowers up to 80° from flat position
- 500 lbs. load capacity under normal use (227 kg)
- Optional side rails, locking casters & more (pages 30 & 31)

85300	length	width	height range
overall	76" 193 cm	27" 69 cm	18"-35" 46 cm – 89 cm
backrest	38" 97 cm	27" 69 cm	
footrest	13" 33 cm	27" 69 cm	



**⚠ WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.  
For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



- E-Series Power Tables feature:**
- Electric power height adjustment with foot control
  - Ultra-strong, uni-frame base and top construction
  - Heavy duty, all welded, lift mechanism
  - Durable gray powder-coated steel frame
  - Self-lubricating pivot points
  - Smooth 110 volt electric height adjustment
  - Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
  - Hands-free low voltage foot control
  - Easy service, self contained, electrical components
  - Seamless, rounded corner, upholstered top
  - 1.5" (4 cm) ultra-firm padding
  - Low height may help achieve ADA tax credit
  - Customize with options (page 27)
  - Made in the USA by Clinton Industries
  - Backed by a 5-year limited warranty
  - See options on page 31
  - 500 lbs. (227 kg) load capacity under normal use



86100

**Open Base, Power Table with One Piece Top**

86100	length	width	height range
	72"	27"	18"-35"
	183 cm	69 cm	46 cm – 89 cm

**Open Base, Power Table with Adjustable Backrest**

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position

86200	length	width	height range
overall	72"	27"	18"-35"
	183 cm	69 cm	46 cm – 89 cm
Backrest	38"	27"	
	97 cm	69 cm	



86200

**Open Base, Power Table with Adjustable Backrest & Drop Section**

- Drop section, adjustable from either side and lowers up to 80° from flat position

86220	length	width	height range
overall	76"	27"	18"-35"
	193 cm	69 cm	46 cm – 89 cm
drop section	13"	27"	
	33 cm	69 cm	



86220

**Open Base, Power Table with Adjustable Backrest & Footrest**

- Pneumatic backrest, adjustable from either side and raises up to 80° from flat position
- Footrest is adjustable from either side and lowers up to 80° from flat position

86300	length	width	height range
overall	76"	27"	18"-35"
	193 cm	69 cm	46 cm – 89 cm
backrest	38"	27"	
	97 cm	69 cm	
footrest	13"	19"	
	33 cm	48 cm	



86300

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Power, Ultrasound, Trendelenburg Tables feature:

- Trendelenburg/Reverse Trendelenburg plus or minus 15°
- Easy-to-use hand control
- All-welded base and top frame
- Unobstructed base design
- Dual column lift system adds rigidity
- Paper dispenser included
- Power supplies and motors meet UL 60601-1 and CAN/CSA C22.2 601.1
- Industry leading 5-year, limited warranty
- Standard models: 500 lbs load capacity under normal use (227 kg)
- Extra-wide models: 600 lbs load capacity under normal use (272 kg)

General, Flat Top, Ultrasound Table

- One piece flat top with firm foam padding
- Optional side rails, locking casters & more (pages 30 & 31)

80061	length	width	height range
	72"	27"	21 1/2" – 37 1/2"
	183 cm	69 cm	55 cm – 95 cm

80061-X Extra-wide: 34" (86 cm)



80061



Trendelenburg



Reverse Trendelenburg



Optional Side Rails & Casters

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

General Ultrasound Table with Three-Section Top

- Three-piece top with pneumatic adjustable backrest and manual footrest
- Footrest is adjustable from either side and lowers up to 80° from flat position
- Optional side rails, locking casters & more (pages 30 & 31)

80063	length	width	height range
overall	76"	27"	21 1/2" – 37 1/2"
	193 cm	68.58 cm	55 cm – 95 cm
backrest	38"	27"	
	97 cm	68.58 cm	
footrest	13"	27"	
	33 cm	69 cm	

80063-X Extra-wide: 34" (86 cm)



80063

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Trendelenburg



Reverse Trendelenburg



Optional Side Rails & Casters

Multi-Use, Ultrasound Table with Stirrups

- Three-piece top with pneumatic adjustable backrest, manual footrest, and stirrups
- Footrest is adjustable from either side and lowers up to 80° from flat position
- Optional side rails, locking casters & more (pages 30 & 31)

80069	length	width	height range
overall	76"	27"	21 1/2" – 37 1/2"
	193 cm	68.58 cm	55 cm – 95 cm
backrest	38"	27"	
	97 cm	69 cm	
footrest	12"	18.5"	
	30 cm	47 cm	

80069-X Extra-wide: 34" (86 cm)



80069

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Trendelenburg



Reverse Trendelenburg



Optional Side Rails & Casters

POWER, ULTRASOUND,  
TRENDLENBURG TABLES

General, Ultrasound Table with  
Adjustable Backrest

- Two-piece top with easy-to-adjust,  
pneumatic backrest
- Optional side rails, locking casters & more  
(pages 30 & 31)

80062

overall	72"	27"	21 1/2" – 37 1/2"
	183 cm	69 cm	55 cm – 95 cm
backrest	38"	27"	
	97 cm	69 cm	

**POWER**  
Backrest Available

80062-X Extra-wide: 34" (86 cm)



Trendelenburg



Reverse Trendelenburg



Optional Side Rails & Casters

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).





Power Imaging, Trendelenburg Tables feature:

- Trendelenburg/Reverse Trendelenburg plus or minus 15°
- Easy-to-use hand control
- All-welded base and top frame
- Unobstructed base design
- Dual column lift system adds rigidity
- Paper dispenser included
- Power supplies and motors meet UL 60601-1 and CAN/CSA C22.2 601.1
- Industry leading 5-year, limited warranty
- Standard models: 500 lbs load capacity under normal use (227 kg)
- Extra-wide models: 600 lbs load capacity under normal use (272 kg)

Flat Top, Power Imaging Table with Drop Window

- One piece flat top with drop window
- Optional side rails, locking casters & more (pages 30 & 31)

80071	length	width	height range
overall	72"	27"	21 1/2" – 37 1/2"
	183 cm	69 cm	55 cm – 95 cm
window	10"	10"	
	25 cm	25 cm	

80071-X Extra-wide: 34" (86 cm)



80061



Trendelenburg



Reverse Trendelenburg



Optional Side Rails & Casters

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Power Imaging Table with Fowler Back and Drop Window

- Two-piece top with pneumatic adjustable backrest and window drop
- Optional side rails, locking casters & more (pages 30 & 31)

80072	length	width	height range
overall	72"	27"	21 1/2" – 37 1/2"
	183 cm	69 cm	55 cm – 95 cm
backrest	38"	27"	
	97 cm	69 cm	
window	10"	10"	
	25 cm	25 cm	

80072-X Extra-wide: 34" (86 cm)



Trendelenburg



Reverse Trendelenburg



Optional Side Rails & Casters

Power Imaging Table with Three-Section Top and Drop Window

- Three-piece top with pneumatic adjustable backrest, manual footrest and window drop
- Footrest is adjustable from either side and lowers up to 80° from flat position
- Optional side rails, locking casters & more (pages 30 & 31)

80073	length	width	height range
overall	76"	27"	21 1/2" – 37 1/2"
	193 cm	68.58 cm	54.61 cm – 95.25 cm
backrest	38"	27"	
	96.52 cm	68.58 cm	
footrest	12"	27"	
	30.48 cm	68.58 cm	
window	10"	10"	
	25.4 cm	25.4 cm	

80073-X Extra-wide: 34" (86 cm)



Trendelenburg



Reverse Trendelenburg



Optional Side Rails & Casters



80072

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



80073

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



POWER, IMAGING,  
TRENDLENBURG TABLES

Multi-Use, Power Imaging Table with Stirrups  
and Drop Window

- Three-section table with pneumatic adjustable backrest, manual footrest, stirrups and window drop
- Footrest is adjustable from either side and lowers up to 80° from flat position
- Optional side rails, locking casters & more (pages 30 & 31)

80079	length	width	height range
overall	76"	27"	21 1/2" – 37 1/2"
	193 cm	69 cm	55 cm – 95 cm
backrest	38"	27"	
	97 cm	69 cm	
footrest	12"	18 1/2"	
	30 cm	47 cm	
window	10"	10"	
	25 cm	25 cm	

POWER  
Backrest & Footrest  
Available

80079-X Extra-wide: 34" (86 cm)



Trendelenburg



Reverse Trendelenburg



Optional Side Rails & Casters

**⚠ WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).





POWER TABLE OPTIONS

Safety Straps Set

- 2" x 92" strap is secured with quick hook and loop Velcro® fasteners
- 2 safety straps per set

080	length	width
	92"	2"
	233.67 cm	5 cm

Side Rails (pair)

- 3 height position
- Plunger height adjustment

082 Standard / 098 Trendelenburg

Power Backrest

(Trendelenburg Tables only)

- Smooth power control raises backrest to 80° and lowers to flat

011

Power Footrest

(Trendelenburg Tables only)

- Smooth power control lowers footrest to 30° and raises to flat

090

Hand-Held Height Control

(Not available on E-Series Tables)

- Alternative to foot control
- Stores easily under top when not in use

084

Locking Casters

(Not available on E-Series Tables)


- Heavy duty, rubber wheel, easy-roll casters

087

30" Width Top

(Trendelenburg Tables only)

037



Paper Dispenser

(Standard Tables Option)

- Accommodates paper rolls from 18" (45.72cm) to 21" (53.34cm) wide

030

Paper Cutter

- Clear plastic with elastic straps and buckle

040

Paper Dispenser/Cutter Combo

(Standard Tables Option)

- Paper dispenser and paper cutter ordered as one option

034



Nose Hole

- Nose hole in drop section of 86220 or 86300

009



Paper Dispenser

- Accommodates paper rolls from 18" (45.72cm) to 21" (53.34cm) wide

030



Paper Cutter

- Clear plastic with elastic straps and buckle

040

Paper Dispenser/Cutter Combo

- Paper dispenser and paper cutter ordered as one option

034



E-Series  
POWER TABLES

**WARNING:** See specific table product for California Proposition 65 Warning.

**WARNING:** See specific table product for California Proposition 65 Warning.



**One Complete Exam Room, One Order Number, One Price**

A complete office, well equipped and ready for patients. Clinton's Power Ready Room, or E-Series Ready Room packages offer big advantages in function, one source convenience and at a pricepoint that fits your budget.

81360-RR

*(no model substitutions, your choice of Fashion Finish cabinetry and upholstery colors)*

- 81360 in your choice of upholstery color
- 8348 Wall Cabinet in your choice of Fashion Finish
- 8648 Base Cabinets with sink in your choice of Fashion Finish
- 48P your choice of Postform Countertop
- 2135 in your choice of upholstery color
- C-40B Premium, Padded, Side Chair in your choice of upholstery color
- GW-3000 Single, Stainless Steel\* Glove Box holder
- TR-20S 20 Quart, Medium, Round, Stainless Steel\*, Waste Receptacle

\* not MRI compatible

**⚠ WARNING:** One or more of the products in this grouping can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



86300-RR

*(no model substitutions, your choice of Fashion Finish cabinetry and upholstery colors)*

- 86300 in your choice of upholstery color
- 8348 Wall Cabinet in your choice of Fashion Finishes
- 8648 Base Cabinets with sink in your choice of Fashion Finishes
- 48P your choice of Postform Countertop
- 2135 in your choice of upholstery color
- C-40B Premium, Padded, Side Chair in your choice of upholstery color
- GS-3000 Single, Stainless Steel\* Glove Box holder
- TR-20S 20 Quart, Medium, Round, Stainless Steel\* Waste Receptacle

\* not MRI compatible

**⚠ WARNING:** One or more of the products in this grouping can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

*fashionfinish*  
CABINETS

COUNTERTOP COLORS

White Carrara

Meteorite

Black Alicante

Arctic White

Twilight

Chestnut Hill

Metropolis Gray





800-441-9131 • 717-848-3519

Toll-Free Fax 866-522-1233

Fax 717-843-5871

[www.clinton-ind.com](http://www.clinton-ind.com)