

#### **SEATING & MEDICAL ACCESSORIES**



#### NUMERICAL INDEX

OPTIONS	GP-4030	47	IV-40422
223 &			IV-45422
23			IV-47422
24			IV-48531
25 3 &	5 GS-3022	44	IV-60427
26 3 &	5 GS-3030	44	IV-60627
31	7 GS-3033	44	IV-61627
	GS-3040	44	IVS-3124
2102	2 GW-2000	45	IVS-31224
2135	4 GW-2020	45	IVS-31424
2135-21	4 GW-2022	45	IVS-35224
2135-P	4 GW-3030	45	IVS-35424
2145	6 GW-3033	45	IVS-73428
2155	4 GW-3040	45	IVS-733225
2155-21	4		IVS-733425
2156	5 H-SERIES		IVS-733625
2156-21	5 H-18	19	
2166W	7 H-25	19	M & MS SERIES
2175W	7 H-40	18	M-20 20
2188W	6 H-41	18	M-21 20
9800 3	3 H-42	18	M-22 20
9810 3	3 H-43	19	M-24 21
9820 3	3 H-48	18	M-29 20
67100 3	6 HS-54	19	MS-23 21
67200 3	7		MS-29 21
672313	5 IV & IVS SERIES		
67232 3	5 IV-31	23	SS SERIES
67235 3	4 IV-33	26	SS-15013
67236 3	5 IV-35	33	SS-2162 8
67237 3	5 IV-40	22	SS-2169 8
	IV-41	29	SS-21729
C-SERIES			
0 0211120	IV-42	29	SS-21799
C-40B1			SS-21799
	0 IV-43	29	SS-2179
C-40B1	0 IV-43 0 IV-44	29 29	
C-40B	0 IV-43 0 IV-44 0 IV-45	29 29 22	T, TB, TC, TP, TR & TS SERIES
C-40B	0 IV-43 0 IV-44 0 IV-45 0 IV-46	29 29 22 29	T, TB, TC, TP, TR & TS SERIES T-1012
C-40B       1         C-40G       1         C-40X       1         C-50B       1	0 IV-43 0 IV-44 0 IV-45 1 IV-47	29 29 22 29 22	T, TB, TC, TP, TR & TS SERIES T-10
C-40B       1         C-40G       1         C-40X       1         C-50B       1         C-40F       1	0 IV-43 0 IV-44 0 IV-45 1 IV-47 1 IV-48 IV-51B		T, TB, TC, TP, TR & TS SERIES T-10
C-40B       1         C-40G       1         C-40X       1         C-50B       1         C-40F       1	0 IV-43 0 IV-44 0 IV-45 1 IV-47 1 IV-48		T, TB, TC, TP, TR & TS SERIES T-10
C-40B       1         C-40G       1         C-40X       1         C-50B       1         C-40F       1	0 IV-43 0 IV-44 0 IV-45 1 IV-47 1 IV-48 IV-51B	29 29 22 29 22 31 30	T, TB, TC, TP, TR & TS SERIES T-10
C-40B       1         C-40G       1         C-40X       1         C-50B       1         C-40F       1         C-50F       1	0 IV-43 0 IV-44 1 IV-45 1 IV-47 1 IV-48 IV-51B IV-51S IV-52B	2929292929303030	T, TB, TC, TP, TR & TS SERIES T-10
C-40B	0 IV-43	292922292231303030	T, TB, TC, TP, TR & TS SERIES T-10
C-40B	0 IV-43	29292229223130303031	T, TB, TC, TP, TR & TS SERIES T-10
C-40B	0 IV-43	29292229223130303031	T, TB, TC, TP, TR & TS SERIES T-10
C-40B	0 IV-43	292929223130303031313130	T, TB, TC, TP, TR & TS SERIES T-10
C-40B	0 IV-43	29292922313030313130313130	T, TB, TC, TP, TR & TS SERIES T-10
C-40B	0 IV-43	29292922313030313130313130	T, TB, TC, TP, TR & TS SERIES T-10
C-40B	0 IV-43	292929293030303130313031303132	T, TB, TC, TP, TR & TS SERIES T-10

 TB-206
 17

 TB-212
 17

 TB-2061
 17

 TB-2062
 17

 TC-50
 16

 TC-233
 16

 TR-13R
 41

TR-13W ...... 41

 TR-20S
 40

 TR-20W
 41

 TR-32R
 41

 TR-32S
 40

 TR-32W
 43

 TS-160
 42

 TS-165
 42

 TS-170
 43

 TS-175
 43

TR-20R.....

#### IMPORTANT NOTE TO DISTRIBUTORS DOING BUSINESS IN CALIFORNIA:

Clinton Industries products drop shipping or to our knowledge being reshipped into California will carry appropriate Safe Harbor Warnings in compliance with California Proposition 65.

For more information on California Proposition 65, go to: www.P65Warnings.ca.gov



#### CHROME SERIES

Clinton Chrome Series stools are a classic. With sturdy construction and dependable spin lift, these stools offer practical, comfortable seating and very affordable prices. Clinton's Chrome Series Stools are an excellent choice for multi-purpose office or clinic use.

#### Key Series Stools feature:

- Chrome 1" diameter, S-Style, all chrome frame
- 19<sup>1</sup>/<sub>2</sub>" diameter bases
- Comfortable, padded seat
- Seat is mounted to a 1/4" x 6" square steel plate
- 2" rubber wheel casters
- Solid steel, machine screw, spin height adjustment
- Premium, stain-resistant, woven, knit-backed, vinyl upholstery
- Maximum load capacity 250 lbs. under normal use



#### **Chrome Base Stool**

- Round foot ring
- 2" rubber wheel, ball bearing casters
- Weight: 18 lbs.
- Box dimensions: 16"x16"x16"

2102	seat diameter	height range
	14"	19" – 25 <sup>1</sup> /2"

#### **OPTIONS FOR CHROME SERIES STOOLS**





#### **Optional Glides**

• Reduces stool height by 21/2"

#### **Optional Rubber Tips**

• Reduces stool height by 21/2"

24

23

**WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### STANDARD SERIES, NYLON BASE STOOLS

The Standard Series includes some of our most popular models. Comfortable, with an ultra-stable design, these stools are the perfect choice for a wide variety of applications.

#### Standard Series, Nylon Base Stools feature:

- One-piece, American-made, nylon base with 3 color options
- Full size diameter top and base for comfort and stability
- 5-leg design for greater stability
- 4" thick seat for extra comfort
- 21/2" dual wheel hooded casters
- Single lever, pneumatic height adjustment
- All seats have 3/4" solid plywood base
- Customizable with options
- Knock-down design saves money on shipping
- Easy "no tools required" assembly
- Premium, stain-resistant, woven, knit-backed, vinyl upholstery
- Maximum load capacity 250 lbs. under normal use

#### Black Base, 5-Leg, Pneumatic Stool

- 24" diameter base
- Weight: 17 lbs.
- Box dimensions: 22"x23"x10"

2135	seat diameter	height range	
	16"	19" – 24"	

# Black Base, 5-Leg, Pneumatic Stool with Backrest

- Weight: 23 lbs.
- Box dimensions: 22"x23"x15"

#### **2135-21** 2135 with -21 backrest



#### OPTIONS FOR ALL PNEUMATIC STANDARD SERIES, NYLON-BASE STOOLS

#### **Optional Glides**

• Black only (fits all nylon base stools)

23

#### **Optional Soft Roll Casters**

• Glides quietly even on hard surfaces (Black only)

25

# Optional Extra Tall Pneumatic Cylinder (upcharge) (not available for 2130)

Adds 4" to low height with 7<sup>1</sup>/<sub>2</sub>" travel

26

#### **Optional Foot Ring**

- Height adjustable, chrome ring with black hub
- **NOTE:** Must order option 26, Extra Tall Cylinder, so the foot ring can be to be fitted on stool.
- Weight: 8 lbs.

22



**WARNING:** Products featured on this page can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer. Option 22 can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

2

#### PREIMER SERIES, ALUMINUM BASE STOOLS

Contemporary and comfortable with a sturdy aluminum base, these stools make any seated task easier than ever. Plus, the tough aluminum bases give these stools that extra durability for years of everyday service.

#### Premier Series, Aluminum Base Stools feature:

- Premium, die cast, aluminum base with satin finish top
- Full size diameter top and base for comfort and stability
- 5-leg design for greater stability
- 4" thick seat for extra comfort
- Chrome or black hooded, dual wheel, nylon casters
- Pneumatic, or easy-spin, collar height adjustment
- All seats have 3/4" solid plywood base
- Two styles of bases and lever controls
- Knock-down design saves money on shipping
- Easy "no tools required" assembly
- Premium, stain-resistant, woven, knit-backed, vinyl upholstery

#### 5-Leg Pneumatic Stool

- 23" cast aluminum base
- Black hooded dual wheel casters
- Weight: 17 lbs.
- Box dimensions: 22"x23"x10"

2155	seat diameter	height range
	16"	19" – 24"

#### 5-Leg Pneumatic Stool with Backrest

- Weight: 23 lbs.
- Box dimensions: 22"x23"x15"

**2155-21** same as 2155 with -21 backrest



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

**5-Leg Pneumatic Stool** • 23" cast aluminum base with stylish

- Chrome hooded, dual wheel casters
- Large, easy to locate, D-shaped height lever
- Weight: 17 lbs.
- Box dimensions: 22"x23"x10"

2156	seat diameter	height range
	16"	$18^{1}/2" - 23^{1}/2"$

#### 5-Leg Pneumatic Stool with Backrest

- Weight: 23 lbs.
- Box dimensions: 22"x23"x15"

**2156-21** same as 2156 with -21 backrest



#### **OPTIONS FOR ALL PREMIER SERIES, ALUMINUM BASE STOOLS**

#### **Optional Extra Tall Pneumatic Cylinder** (upcharge) (not available for 2150)

• Adds 4" to low height with 7<sup>1</sup>/<sub>2</sub>" travel

26

#### **Optional Glides**

• Black only (fits all aluminum base stools)

23

#### **Optional Soft Roll Casters**

• Glides quietly even on hard surfaces (Black only)

25

#### **Scuff Protectors**

• Plastic tips protect base (Black only)

27

#### **Optional Foot Ring**

- Height adjustable, chrome ring with black hub
- NOTE: Must order option 26, Extra Tall Cylinder, so the foot ring can be to be fitted on stool.
- Weight: 8 lbs.

22









**WARNING:** Products & Options featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### SPECIALTY STOOLS

Clinton Specialty Stools are designed to meet special needs. These stools feature smooth roll casters, sturdy construction and seats that are engineered to make tasks more comfortable for lab technicians and clinicians.

#### Specialty Stools feature:

- Contemporary styling
- Cast aluminum bases
- Extra comfort seats
- Pneumatic cylinder, height adjustment
- Premium, stain-resistant, woven, knit-backed, vinyl upholstery
- Maximum load capacity 250 lbs. under normal use



#### **Hands-Free Stool**

- 24", aluminum base with stylish black accents
- 4" thick, round seat
- Foot-activated, height control
- Weight: 25 lbs.
- Box dimensions: 24"x24"x24"

2145	seat diameter	height range
	16"	191/2" – 241/2"

#### **Lab Chair with Arms**

- 23" cast aluminum base
- Adjustable backrest with high impact back shroud and fully adjustable tilting seat
- Soft roll, dual wheel, hooded, casters
- Adjustable padded armrests
- Adjustable foot ring
- Weight: 42 lbs.
- Box dimensions: 23"x23"x21"

2188W	seat diameter	height range
	18"	$21" - 28^{1}/2"$



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### Lab Chair

- 23" cast aluminum base
- Adjustable backrest with high impact back shroud and fully adjustable tilting seat
- Soft roll, dual wheel, hooded casters
- Adjustable foot ring
- Weight: 34 lbs.
- Box dimensions: 23"x23"x21"

2166W	seat diameter	height range	
	18"	21" - 281/2"	

#### Office Chair

- 23" cast aluminum base
- Adjustable backrest with high impact back shroud and fully adjustable tilting seat
- Soft roll, dual wheel, hooded, casters
- Weight: 34 lbs.
- Box dimensions: 23"x23"x21"

2175W	seat diameter	height range	
	18"	17" – 22"	
	I	2175W	



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

7

For more information go to www.P65Warnings.ca.gov.

#### STAINLESS STEEL STOOLS

Clinton stainless steel stools are built for those who prefer the classic durability and good looks of stainless steel constuction along with dependable, precise, screw height adjustment.

#### Stainless Steel Stools feature:

- Contemporary styling
- Stainless steel bases
- Classic, machine-screw, height adjustment
- Premium, stain-resistant, woven, knit-backed, vinyl upholstery on select models
- Maximum load capacity 250 lbs. under normal use
- \* Clinton stainless steel stools are NOT MRI compatible

#### \*Stainless Steel Stool with Casters

- 15" diameter stainless steel seat
- Extra wide base for stability
- Polished, stainless steel seat with recessed black vinyl insert
- 2" Rubber wheel ball bearing casters
- Round foot ring
- All welded, stainless steel frame
- Weight: 17 lbs.
- Box dimensions: 16"x16"x20"

SS-2162	seat diameter	height range
	15"	211/2" - 281/2"

#### \*Stainless Steel Stool with Rubber Feet

- 15" diameter stainless steel seat
- Extra wide base for stability
- Polished, stainless steel seat with recessed black vinyl insert

height range

- Round foot ring
- All welded, stainless steel frame
- Weight: 17 lbs.
- Box dimensions: 16"x16"x20"

SS-2169 seat diameter

	15" 19" – 26"
55-2162	SS-2169

\* Clinton Stainless steel products are not MRI compatible.

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### For more information go to www.P65Warnings.ca.gov.

#### \*Stainless Steel Stool with Casters

- 4" thick padded seat for comfort
- Smooth, machine-screw, height adjustment
- 2" Rubber wheel, ball bearing casters
- Round foot ring
- All welded, stainless steel frame
- Easy-clean upholstery
- Extra wide base for stability
- Weight: 19 lbs.
- Box dimensions: 16"x16"x27"

SS-2172	seat diameter	height range
	14"	25" - 291/2"

#### \*Stainless Steel Stool with Rubber Feet

- 4" thick, padded seat for comfort
- Smooth, machine-screw- height adjustment
- Round foot ring
- All welded, stainless steel frame
- Easy-clean upholstery
- Extra wide base for stability
- Weight: 19 lbs.
- Box c

	nsions: 16"x16"x2					
SS-2179	seat diameter 14"	height range 22 <sup>1</sup> /2" – 27"  SS-	2179			
	K			* Clinton Stainless steel	products are	not MRI compatible.

#### PREMIUM SIDE CHAIRS

With a classic design, sturdy metal frame and comfortable, padded seat and backrest, Clinton premium side chairs are the perfect addition to exam rooms offices or clinics.

#### Premium Side Chairs feature:

- Great looking, powder-coated frame
- All seats and backrests have solid, plywood base
- 2" thick, firm foam, padded seat and backrest
- Adjustable leg levelers
- Contour seat and backrest
- Heavy duty, knit-backed, vinyl upholstery
- 300 lbs. load capacity under normal use

#### **Black Frame Chair without Arms**

- Weight: 28 lbs.
- Box dimensions: 25"x22"x28"

C-40B	seat	seat height	
	17 <sup>1</sup> /2" x 18"	18"	

#### **Gray Frame Chair without Arms**

- Weight: 28 lbs.
- Box dimensions: 25"x22"x28"

C-40G	seat	seat height	
	17 <sup>1</sup> /2" x 18"	18"	

#### **Extra-Wide Gray Frame Chair without Arms**

• Dual bars under seat for extra support

C-40X	seat	seat height
	32" x 20"	20"

C-40G, C-50B & C-40X only

#### **Black Frame Chair with Arms**

• Durable contour plastic arms



**WARNING:** Products featured on this page can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

#### F-Series Chair without Arms

- Upholstered backrest front and back
- Ships flat
- Easy Assembly
- Weight: 14 lbs.
- Box dimensions: 26.25"x23"x7.5"

C-40F	seat	seat height
	20" x 20"	17"

#### F Series Chair with Arms

- Upholstered backrest front and back
- Ships flat
- Easy Assembly
- Weight: 17 lbs.
- Box dimensions: 27.5"x23"x8.5"

C-50F	seat	seat height
	20" x 20"	17"



11



**WARNING:** Products featured on this page can expose you to chemicals, including diisononyl phthalate (DINP), which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

10

#### **GOOSENECK LIGHT**

The Gooseneck Light is practical and very affordable. Its double shade design helps keep the outer surface cooler while providing bright light for exams and minor procedures.

#### Goosneck Light features:

- UL approved lamp & cord
- Grounded, three-prong, cord
- Chrome finish pole & base
- Inner/outer "cool shade" system
- Flexible, gooseneck arm
- Uses up to a 60 Watt incandescent bulb or equivalent (not included)

#### Gooseneck Lamp

- Weighted chrome base
- Weight: 15 lbs.
- Box dimensions: 28"x13"x7"

T-10	base diameter	height range
	11"	50" – 74"

**WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.



#### STEP STOOLS

Clinton's Step Stools fit a wide variety of needs and budgets. Choose from our classic chrome models or versatile stainless steel stools. All stools are made with 1" tubing, topped with rubber safety tread.

#### Standard Step Stools feature:

- All welded, steel base and top (no screws or rivets)
- Rubber tread top for safety
- Reinforced rubber feet
- Chrome or stainless steel construction
- 1" steel tube with X-frame top support
- 350 lbs. load capacity under normal use



**! WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### **Chrome Step Stool**

- Durable, chrome finish
- Weight: 9 lbs.
- Box dimensions: 19"x17"x11"

T-40	length	width	height
	14 <sup>1</sup> /4"	11 <sup>1</sup> /4"	9"

#### T-42 same as T-40 but 2 per box

#### **Chrome Step Stool with Hand Rail**

- Durable, chrome finish
- 7/8" diameter handrail 36" high
- Weight: box one-9 lbs.; box two-4 lbs.
- Box dimensions: 19"x17"x11" & 15"x37"x2"

T-50	length	width	height	
	14 <sup>1</sup> /4"	11 <sup>1</sup> /4"	9"	

#### T-52 same as T-50 but 2 per box

#### \*Stainless Steel Step Stool

- All welded construction
- Rubber tread top for safety • 7/8" diameter handrail 36" high
- Reinforced rubber feet
- Weight: box one-7 lbs.; box two-4 lbs.
- Box dimensions: 19"x17"x11" & 15"x37"x2"

SS-150	length	width	height	
	14 <sup>1</sup> /4"	11 <sup>1</sup> /4"	9"	

#### Chrome, Two-Step Step Stool

- Durable, chrome finish
- Extra-wide and deep tops
- Reinforced base and top
- First step 10" high x 12<sup>1</sup>/<sub>4</sub>" x 17<sup>1</sup>/<sub>4</sub>"
- Weight: 27 lbs.
- Box dimensions: 29"x19"x19"

T-6842	length	width	height
	27"	171/4"	1 <i>7</i> <sup>1</sup> /4"

#### Chrome, Two-Step Step Stool with Handrail

- Same as T-6842 with angled handrail 43" at highest point
- Handrail can be attached on either side for left hand or right hand use
- Weight: box one-27 lbs.; box two-7 lbs.
- Box dimensions: 29"x19"x19" & 15"x35"x4"

T-6850	length	width	height	
	27"	171/4"	171/4"	





#### \*Stainless Steel Stacking Stools

- Use individually, connect multiple stools end to end, or side by side to create a larger platform
- Rubber feet and rubber tread top for safety
- Welded, stainless steel construction
- Stools easily stack for storage
- Optional transport cart for easy storage
- Order individually
- Weight: 11 lbs.
- Box dimensions: 20"x14"x6"

SS-190	length	width	height
	18"	12"	51/4"



\* Clinton stainless steel products are not MRI compatible.

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

Clinton's Bariatric Step Stools use strudy, welded steel construction to provide the extra support needed to safely accommodate bariatric patients.

T-6250

(Large Top)

#### Bariatric Step Stools feature:

- All welded steel base and top (no screws or rivets)
- Extra reinforcement for larger loads
- Rubber tread top for safety
- Reinforced rubber feet
- Chrome finishes
- 1" steel tube frame
- 600 lbs. load capacity under normal use

#### **Chrome Bariatric Step Stool**

- Durable chrome finish
- Welded reinforced "X" brace
- Weight: 11 lbs.
- Box dimensions: 19"x17"x11"

T-6142	length	width	height	
	141/4"	111/4"	9"	

#### **Chrome Bariatric Step Stool with Handrail**

- Same as T-6142 with 1" diameter handrail, 36" high
- Weight: box one-11 lbs.; box two-4 lbs.
- Box dimensions: 19"x17"x11" & 15"x37"x2"

T-6150	length	width	height	
	141/4"	11 <sup>1</sup> /4"	9"	

#### Large Top, Chrome, Bariatric Step Stool

- Durable chrome finish
- Extra wide and deep top
- Welded reinforced "X" brace
- Weight: 12 lbs.
- Box dimensions: 21"x16"x10"

T-6242	length	width	height	
	171/4"	121/4"	9"	

# Large Top, Chrome, Bariatric Step Stool with Handrail

- Same as T-6242 with 1" diameter handrail, 36" high
- Weight: box one–12 lbs.; box two–5 lbs.



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### **UTILITY CARTS**

Lightweight and economical, Clinton Utility Carts are the perfect choice for a wide variety of office, hospital or clinic applications. Choose from easy clean plastic model or classic, epoxy-coated, wire basket model.



#### Value, Plastic Utility Cart

- 3 plastic shelves 15<sup>1</sup>/2" x 19<sup>1</sup>/2"
- Aluminum uprights
- 2 push handles with shelves rimmed on all sides
- Easy assembly
- Opening between shelves 101/2"
- 200 lbs. load capacity under normal use
- Shipping weight: 18 lbs.
- Box dimensions: 25"x19"x13"

TC-50	length	width	height
			to top shelf
	223/4"	16"	29"

#### **Folding Cart Frame**

- Chrome plated frame
- Large, 4" rubber ball bearing casters thread into place for extra longevity
- Basket holders are epoxy coated
- Baskets not included (mix & match heights)
- 70 lbs. load capacity, distributed
- Shipping weight: 23 lbs.
- Box dimensions: 24"x47"x7"

TC-233	length	width	height
			to top handles
	201/2"	30 <sup>1</sup> /2"	391/2"

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.



#### **BASKETS**

#### 6" Wire Basket

- Heavy gauge, steel wire construction
- White, epoxy coated finish
- Shipping weight: 7 lbs.
- Box dimensions: 28"x16"x7"

TB-206	length	width	height
	14 <sup>1</sup> /2"	241/2"	6"

#### 12" Wire Basket

- Heavy gauge, steel wire construction
- White, epoxy coated finish
- Weight: 8 lbs.
- Box dimensions: 28"x16"x13"

TB-212	length	width	height
	14 <sup>1</sup> /2"	241/2"	12"

#### Basket Set/One 6" & One 12"

- Weight: 11 lbs.
- Box dimensions: 28"x16"x15"

#### TB-2061

#### Basket Set/Two 6"

- Weight: 10 lbs.
- Box dimensions: 28"x16"x9"

#### TB-2062



**WARNING:** Products featured on this page can expose you to chemicals, including BPA, which is known to the State of California to cause reproductive harm.

For more information go to www.P65Warnings.ca.gov.

Easy to maneuver and built for years of service, Clinton Hampers rate high in cost/value analysis. Select from 10 models to meet your needs.



H-40







#### **Square Tilt-Lid Hamper**

- White, epoxy coated, steel lid
- Fold-down prop to keep lid open
- Chrome plated steel frame
- Pedal activated lid
- Heavy duty, bag support and holder
- White holder for extra plastic bags
- Four 3" casters, 2 with locks
- Weight: 25 lbs.
- Box dimensions: 20"x22"x10"

H-40	length	width	height
	185/8"	191/2"	371/2"

#### 18" Round Tilt-Lid Hamper

- Chrome plated, steel lid and frame
- Spring-loaded, foot operated lid
- M-style base with bag support
- 4 rubber wheel, ball bearing casters
- Shipping weight: 20 lbs.
- Box dimensions: 27"x21"x8"

H-41	diameter	height	
	19 <sup>1</sup> /2"	36 <sup>1</sup> /2"	

#### **Economy 18" Round Hamper**

- Chrome plated, steel frame
- Bag support bars
- 3 rubber wheel, ball bearing casters
- Shipping weight: 11 lbs.
- Box dimensions: 36"x20"x5"

H-48	diameter	height	
	19"	35"	

#### **Adjustable Folding Hamper**

- Chrome plated, steel frame
- Adjusts to fit 18", 22" or 25" bags
- Folds for compact storage
- All-steel bag rest chrome plated
- Four, 3" rubber wheel, ball bearing casters
- Weight: 15 lbs.
- Box dimensions: 21"x40"x3"

H-42	length	width	height	
	193/4"	193/4"	42"	

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### 18" Triangular Hamper with Lid

- Ultra-durable, white, powder-coated finish
- Space saver, triangular design
- Foot-operated, tilt lid with bumper
- Base bumper guards for wall protection
- Easy-to-use, extra wide, chrome foot peddle
- Solid, heavy gauge shelf keeps bags elevated
- 3" easy-roll, swivel, ball bearing casters
- Rigid construction with all-welded base and top frame
- Accommodates 18" diameter bags
- KD design saves on shipping costs
- Weight: 25 lbs.
- Box dimensions: 22"x23"x7"

H-43	diameter	height	
	18"	32"	

#### \*18" Stainless Steel Triangular Hamper with Lid\*

- All stainless steel construction
- Space saver, triangular design
- Foot-operated, tilt lid with bumper
- Base bumper guards for wall protection
- Easy-to-use, extra wide, foot peddle
- Solid, heavy gauge shelf keeps bags elevated
- 3" easy-roll, swivel, ball bearing casters
- Rigid construction with all-welded base and top frames
- Accommodates 18" diameter bags
- KD design saves on shipping costs
- Weight: 25 lbs.
- Box dimensions: 22"x23"x7"

HS-54	diameter	height	
	18"	32"	





Easy to use large pedal and bumper rings that protect the walls



**WARNING:** Products featured above can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### 18" Drawstring Style Cloth Hamper Bag

- Weight: 2 lbs.
- Box dimensions: 11"x11"x5"

H-18

#### 25" Drawstring Style Cloth Hamper Bag

- Weight: 2 lbs.
- Box dimensions: 11"x11"x5"

H-25



Shown on H-40, but will fit other models as well.

#### INSTRUMENT/MAYO STANDS

Clinton Instrument Stands are designed to be stable and durable with casters that provide a smooth travel across a variety of surfaces.

#### Instrument/Mayo Stands feature:

- Removable \*stainless steel tray
- Knob height adjustment
- Maximum load capacity 15 lbs. under normal use



For more information go to www.P65Warnings.ca.gov.

#### Premium, Mobile Instrument Stand

- Stable, 5-leg cast aluminum base
- Easy positioning with no need to tip style base

- 1" chrome plated of STOCK frame
   Dual when the end caps on each leg
- Weight: 16 lbs.
- Box dimensions: 23"x27"x8"

M-20	base diameter	height range	
	23"	31" – 50"	

#### **Value Instrument Stand**

- Stable, 5-leg nylon base
- Easy positioning with no need to tip style base
- 1" chrome plated pole and frame
- Dual wheel, soft roll casters
- Weight: 16 lbs.
- Box dimensions: 23"x27"x8"

M-29	base diameter	height range	
	21"	31" – 50"	

#### Single Post Mayo Stand

- 2 ball bearing, rubber casters
- 1" chrome plated poles and base
- Tip style position base
- Weight: 12 lbs.
- Box dimensions: 20"x24"x8"

M-21	base	height range
	18" x 22"	31" – 50"

#### **Double Post Mayo Stand**

- 2 ball bearing, rubber casters
- 1" chrome plated poles and base
- Tip style position base
- Weight: 16 lbs.
- Box dimensions: 22"x32"x7"

M-22	base	height range
	21" x 20"	34" – 54"

\* Clinton stainless steel products are not MRI compatible.

#### \*Mobile, Stainless Steel, Instrument Stand

- 1" stainless steel frame, tray and base
- Easy positioning with no need to tip style base
- Moves easily on 4 ball bearing casters
- Stable heavy base design
- Weight: 18 lbs.
- Box dimensions: 26"x14"x4"

MS-29	base diameter	height range	
	22"	33" – 49"	

#### \*Single Post, Stainless Steel, Mayo Stand

- 1" stainless steel frame, tray and base
- Tip style position base
- 2 ball bearing rubber casters
- Weight: 12 lbs.
- Box dimensions: 20"x24"x8"

MS-23	base	height range	
	18" x 22"	31" – 50"	



#### \*Stainless Steel Replacement Trays

- Rimmed tray with satin finish
- Weight: 3 lbs.
- Box dimensions: 17"x3"x25"

M-24	length	width	depth	
	19"	123/4"	3/4"	







**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### ECONOMY, TWIST-LOCK, IV STANDS

Clinton Economy, Twist-Lock IV Stands are both practical and affordable. They are available with various bases and two or four hook tops.

#### Economy, Twist-Lock, IV Stands feature:

- Chrome plated steel pole
- Twist-lock adjustment
- Detachable ram's horn hooks



Removable, 4-hook top

#### Economy, 4-Leg, 2-Hook, IV Pole

- Epoxy coated 4-leg base
- 4 easy-roll, ball bearing casters
- 30 lbs. distributed load capacity
- Packed 1 per box
- Weight: 11 lbs.
- Box dimensions: 47"x7"x3"

IV-40	base diameter	height range
	22"	46" – 83"

#### Economy, 4-Leg, 4-Hook, IV Pole

- Packed 1 per box
- Weight: 11 lbs.
- Box dimensions: 47"x7"x3"

#### IV-404 Same as IV-40 with 4-hook top

#### Economy, Five-Leg, 2-Hook, IV Pole

- 5-leg, cast aluminum base
- Dual wheel casters
- 45 lbs. distributed load capacity
- Weight: box one-7 lbs.; box two-5 lbs.
- Box dimensions: 23"x23"x4" & 3"x3"x53"

IV-45	base diameter	height range
	23"	46" – 83"

#### Economy, Five-Leg, 4-Hook, IV Pole

- Packed 2 per case only (priced each)
- Weight: box one-7 lbs.; box two-5 lbs.
- Box dimensions: 23"x23"x4" & 3"x3"x53

#### **IV-454** Same as IV-45 with 4-hook top

#### Economy, Five-Leg, 2-Hook, IV Pole

- 5-leg, nylon composite base
- Dual wheel casters
- 45 lbs. distributed load capacity
- Weight: box one-9 lbs.; box two-6 lbs.
- Box dimensions: 23"x23"x4" & 3"x3"x53"

IV-47	base diameter	height range
	21"	46" – 83"

#### Economy, Five-Leg, 4-Hook, IV Pole

- Weight: box one-9 lbs.; box two-6 lbs.
- Box dimensions: 23"x23"x4" & 3"x3"x53

#### IV-474 Same as IV-47 with 4-hook top

See page 31 – 33 for available accessories

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

Twist-lock height

adjustment

For more information go to www.P65Warnings.ca.gov.

#### KNOB-LOCK, IV STANDS

Clinton Knob-Lock IV Stands feature the easy to grip and easy to adjust knob lock for fast and convenient height adjustment.

#### **Knob-Lock IV Stands feature:**

• Chrome plated steel pole

Removable, 2-hook top

- Knob-lock adjustment with stay-in-place feature that prevents the knob from falling out
- Detachable ram's horn hooks with plastic tips

# IV-35 (2-Hooks) IV-354 (4-Hooks) IV-31 (2-Hooks) IV-314 (4-Hooks)

#### IV-31 base diameter height range 22" 52" – 91" Heavy Base, 4-Hook, IV Pole

IV-314 Same as IV-31 with 4-hook top

Heavy Base, 2-Hook, IV Pole

with bumper guards

• Box dimensions: 3"x8"x50"

• Box dimensions: 3"x8"x50"

• Weight: 15 lbs.

• Weight: 15 lbs.

• 4-leg, epoxy coated, steel base

• 45 lbs. distributed load capacity

• 2" rubber wheel ball bearing casters

#### Five-Leg, 2-Hook, IV Pole

- 5-leg. cast aluminum base
- Scuff guard end caps on legs
- Soft roll, dual wheel casters
- 45 lbs. distributed load capacity
- Weight: box one-5 lbs.; box two-7 lbs.
- Box dimensions: 23"x23"x4" & 3"x5"x50"

IV-35	base diameter	height range	
	23"	52" – 92"	

#### Five-Leg, 4-Hook, IV Pole

- Weight: box one-5 lbs.; box two-7 lbs.
- Box dimensions: 23"x23"x4" & 3"x5"x50"

**IV-354** Same as IV-35 with 4-hook top



Knob-lock height adjustment

See page 31 - 33 for available accessories

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

Removable, 4-hook top

Removable, 2-hook top

#### STAINLESS STEEL IV STANDS

Clinton Stainless Steel IV Stands are among the most affordable stainless IV poles on the market today. Choose from different base and hook models to fit your needs.

#### Stainless Steel IV Stands feature:

- Stainless steel pole
- Knob-lock adjustment
- Stable base designs



For more information go to www.P65Warnings.ca.gov.

IVS-312 (2-Hooks/detachable) IVS-314 (4-Hooks/detachable)

# \*Economy, Stainless Steel, IV Pole with Welded 2-Hook

- Heavy duty, stainless steel base with low center of gravity design
- 2-hook, welded in place, ram's horn
- 2" rubber wheel, ball bearing casters
- 45 lbs. distributed load capacity
- Weight: 15 lbs.
- Box dimensions: 3"x8"x50"

IVS-31	base diameter	height range
	22"	60" – 100"

#### \*Stainless Steel, 2-Hook, IV Pole

- Weight: 15 lbs.
- Box dimensions: 3"x8"x50"

**IVS-312** Same as IVS-31 w/ detachable 2-hook top

## \*Stainless Steel, 4-He

- Weight: 15 URRENTLY O
- **IVS-314** Same as IVS-31 w/ detachable 4-hook top

#### \*Stainless Steel, Five-Leg, 2-Hook, IV Pole

- 5-leg, cast aluminum base
- Scuff guard end caps on legs
- 2-hook, detachable ram's horn with plastic end tips
- Soft roll, dual wheel casters
- 45 lbs. distributed load capacity
- Weight: box one-5 lbs.; box two-7 lbs.
- Box dimensions: 23"x23"x4" & 3"x5"x50"

IVS-352	base diameter	height range
	23"	60" – 100"

# \*Stainless Steel, Five-Log STOCK • Weight: box on TVY OUT OF STOCK • Box din CURRENTLY OUT OF STOCK - Box din CURRENTLY OUT OF STOCK

- 23"x23"x4" & 3"x5"x50"

**IVS-354** Same as IVS-52 with 4-hook top

\* Clinton Stainless steel products are not MRI compatible.

See page 31 – 33 for available accessories

#### **WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### \*Stainless Steel, Six-Leg, 2-Hook, IV Pole

- Large diameter, 6-leg epoxy-coated base
- 2-hook, detachable ram's horn with plastic end tips
- 3" rubber wheel ball bearing casters
- 45 lbs. distributed load capacity
- Weight: box one-17 lbs.; box two-6 lbs.
- Box dimensions: 25"x29"x4" & 3"x5"x53"

IVS-7332	base diameter	height range
	26"	64" – 100"

# \*Stainless Steel, Six-Leg of STOCK V Pole • Weight: box one TLY OUT OF two-6 lbs. • Box dime CURRENTLY 229"x4" & 3"x5"x53"

IVS-7334 Same as IVS-7332 with 4-hook top

#### \*Stainless Steel, Six-Leg, 4-Hook, IV Pole

- Weight: box one-17 lbs.; box two-6 lbs.
- Box dimensions: 25"x29"x4" & 3"x5"x53"

#### IVS-7336 Same as IVS-7332 with 6-hook top



2-Hook top with end tips

4-Hook top with end tips





6-Hook top with end tips

Stay-In-place, knob-lock, height adjustment keeps pole in position

\* Clinton Stainless steel products are not MRI compatible.

See page 31 – 33 for available accessories



#### CHROME, INFUSION PUMP STANDS

Clinton Infusion Pump Stands are built sturdy for a variety of tasks. Extra heavy bases provide a low center of gravity for extra stability.

#### Infusion Pump Stands feature:

- Chrome plated steel pole
- Heavy bases for greater stability
- Single knob height adjustment
- Detachable ram's horn hooks with plastic tips

# IV-33 (2-Hooks) IV-334 (4-Hooks) IV-336 (6-Hooks)

For more information go to www.P65Warnings.ca.gov.

#### Six-Leg, 2-Hook, Infusion Pump Stand

- Oversized base for stability
- 6-leg, epoxy coated base
- Detachable ram's horn hooks with plastic tips
- 3" rubber wheel, ball bearing casters
- 45 lbs. distributed load capacity
- Weight: box one-18 lbs.; box two-6 lbs.
- Box dimensions: 25"x29"x4" & 5"x3"x53"

IV-33	base diameter	height range	
	26"	56" – 99"	

#### Six-Leg, 4-Hook, IV Pole

• Weight: box one-18 lbs.; box two-6 lbs.

• Box dimensions: 25"x29"x4" & 5"x3"x53"

IV-334 Same as IV-33 with 4-hook top

#### Six-Leg, 6-Hook

- 1bs.; box two–6 lbs.
- ions: 25"x29"x4" & 5"x3"x53"

IV-336 Same as IV-33 with 6-hook top



2-Hook top with end tips

4-Hook top with end tips





6-Hook top with end tips

Stay-In-place, knob-lock, height adjustment keeps pole in position

See page 31 – 33 for available accessories

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### Six-Leg, 4-Hook, Heavy Base, Infusion **Pump Stand**

- Powder-coated, ultra heavy, tip resistant steel 6-leg base
- 4" Heavy duty, rubber wheel, ball bearing casters

- Bent, low center of city style base
   Extra rigid out of stoce, mounting system
   LURRENTLY one-27 lbs.; box two-5 lbs.

aimensions: 2	23"x21"x6"	& 3	5"x3"x50"
---------------	------------	-----	-----------

IV-604	base diameter	height range	
	23"	51" – 92"	

#### Six-Leg, 6-Hook, Heavy Base, Infusion **Pump Stand**

- Weight: box one\_27OCK box two-5 lbs.
   Box dimerout of \$100 kg 5"x5" x21"x6" & 5"x3"x50""

Same as IV-604 with 6-hook top

### Six-Leg, Space Saver the avy Duty, 4-Hook, Infusion

Pump Stand OF STOR ne=22 lbs.; box two=5 lbs. mensions: 19"x17"x10" & 5"x3"x50"

IV-616 Same as IV-610 with 6-hook top



6-Hook top with end tips



See page 31 – 33 for available accessories

#### STAINLESS STEEL, INFUSION PUMP STANDS

Clinton Stainless Steel, Infusion Pump Stands use the same stable and sturdy designs as our standard infusion pump stand with the added benefits and durability of stainless steel.

#### \*Stainless Steel Infusion Pump Stands feature:

- Stainless steel pole
- Heavy bases for greater stability
- Single knob height adjustment
- Detachable ram's horn hooks with plastic tips

#### \*Six-Leg, 4-Hook, Infusion Pump Stand

- 6-leg, powder-coated, metal base
- Oversized steel base for stability
- 4" heavy duty, rubbstock el, ball bearing casters
   Extra rigity out of stock, mounting system
   CURRENTLY OUT OF STOCK el, ball bearing casters
   LOW Center of gravity base

- 45 lbs. distributed load capacity
- Weight: box one-27 lbs.; box two-5 lbs.
- Box dimensions: 23"x21"x6" & 5"x3"x50"

IVS-734	base diameter	height range
	23"	60" – 100"



#### \* Clinton stainless steel products are not MRI compatible.

See page 31 – 33 for available accessories









2-Hook top with end tips 4-Hook top with end tips 6-Hook top with end tips Knob-lock, height adjustment keeps pole in position


**MARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### IV & INFUSION INFUSION PUMP STANDS OPTIONS











#### **Infusion Pump Frame**

- 1" chrome-plated, steel frame
- Holds up to 4 IV pumps
- Requires 2 universal clamps (sold separately)
- Only suitable for 6-leg, non-space saver models
- Weight: 8 lbs.
- Box dimensions: 32"x25"x4"

IV-42	width	height
	173/4"	273/4"

#### **Pump Support Tray**

- 1/2" center hole provides easy pump attachment
- Chrome finish
- Requires 1 universal clamp (sold separately)
- Weight: 2 lbs.
- Box dimensions: 7"x7"x3"

IV-46	width	depth	
	61/4"	5"	

#### **Universal Clamp**

- Aluminum clamp used to mount most accessories without disassembling pole
- Easy position adjustments
- Set-screw locks accessories in place
- Not included with accessories
- Weight: 2 lbs.
- Box dimensions: 5"x5"x7"

#### IV-41

#### **Steering Handle**

- Easy-grip, black, vinyl coating
- Aids movement and control of poles
- Requires 1 universal clamp (sold separately)
- Weight: 4 lbs.
- Box dimensions: 14"x14"x5"

IV-43	width	depth
	12 <sup>1</sup> /2"	11 <sup>1</sup> /2"

#### Oxygen Cylinder Holder

- Chrome-plated steel frame
- Holds D or E size oxygen tanks
- Requires 1 universal clamp (sold separately)
- Not suitable for IV-40 and IV-404
- Weight: 4 lbs.
- Box dimensions: 17"x9"x9"

IV-44

#### IV & INFUSION PUMP STANDS OPTIONS

#### Black, Heavy Duty, Wire Basket

- Black, epoxy coated finish
- Useful for storing IV supplies
- Requires universal clamp (sold separately)
- Weight: 5 lbs.
- Box dimensions: 9"x10"x17"

IV-51B	length	width	depth	
	14"	8"	81/2"	

#### \*Heavy Duty, Stainless Stee,I Wire Basket

- Same as IV-51B with stainless steel construction
- Weight: 5 lbs.
- Box dimensions: 9"x10"x17"

IV-51S	length	width	depth	
	14"	8"	81/2"	

#### Black, Heavy Duty, Wire Basket

- Smaller version of IV-51B
- Weight: 3 lbs.
- Box dimensions: 13"x7"x8"

IV-52B	length	width	depth	
	12"	6"	61/2"	

#### \*Heavy Duty Stainless Steel Wire Basket

- Smaller version of IV-51S
- Weight: 3 lbs.
- Box dimensions: 13"x7"x8"

IV-52S	length	width	depth	
	12"	6"	6 <sup>1</sup> /2"	

#### **Drainage Bag Hooks**

- Chrome plated with 2-hook positions
- Easily clamps to pole with just thumb screws
- Not for IV-33, IV-334, IV-336, IV-34 & IV-344
- Weight: 1 lb.
- Box dimensions: 4"x4"x7"

#### IV-56

#### **Drainage Bag Hooks**

- For models IV-33, IV-334, IV-336, IV-34 & IV-344
- Weight: 1 lb.
- Box dimensions: 4"x4"x7"

#### IV-56B

30







**! WARNING:** Products pictured above can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### For more information go to www.P65Warnings.ca.gov.

#### 3" Rubber Casters Upgrade

- Set of 5
- Upgrade for aluminum-base IV products only
- Weight: 5 lbs.
- Box dimensions: 7"x7"x3"

#### IV-60

#### Single Ram's Horn Accessory Hook

- Requires universal clamp (sold separately)
- Weight: 1 lb.
- Box dimensions: 12"x12"x3"

#### IV-57

#### **Extra Hooks and Organizer Hooks**

- 4 ram's horn hooks and 4 open hooks
- All stainless steel hooks
- For all models except IV-33, IV-334, IV-336, IV-34 and IV-344
- Weight: 2 lbs.
- Box dimensions: 13"x10"x3"

#### IV-55

#### Base Stability Weight (2<sup>1</sup>/<sub>2</sub> lbs.)

- Add 2<sup>1</sup>/<sub>2</sub>" lbs. to base for improved stability
- Easily mounts to center of base
- Not suitable for IV-40 and IV-404
- Weight: 3 lbs.
- Box dimensions: 8"x8"x2"

#### IV-48

#### Base Stability Weight (5 lbs.)

- Weight: 5.5 lbs.
- Box dimensions: 8"x8"x2"


#### IV-485 Same as IV-48 with 5 lb. weight













Put medical information and entry at your fingertips with Clinton's Tec-Cart<sup>TM</sup> Mobile Workstations.

Tec-Carts<sup>TM</sup> feature large, easy-clean, moulded plastic work surfaces, pneumatic height adjustment for ease of use by multiple persons and large premium casters.

Clinton Tec-Carts make it easy for medical personnel to take versatile work stations anywhere their busy day takes them.

All Tec-Cart<sup>™</sup> Mobile Medical Workstations feature:

- Dent and ding resistant, moulded plastic work surfaces
- Pneumatic, height adjustment
- Premium, 3" casters for easy mobility
- Cast aluminum, 5-leg base







#### Compact, Tec-Cart<sup>™</sup> Mobile Work Station with Drawer

- Smooth rolling, premium, 3" locking casters
- Vacuum-formed, gray, textured, ABS plastic, work surface rimmed on all sides
- 5-leg, 24" cast aluminum base with bumper guards
- Easy-clean surfaces
- Pneumatic height adjustment for sitting or standing
- Gray laminate cabinet
- Easy-clean, all plastic drawer with gray laminate front and wire pull

9800	width	depth	height range
	18"	153/4"	281/2" - 39"
	46 cm	40 cm	72 cm – 99 cm
drawer	length	width	depth
	143/4"	10 <sup>1</sup> /2"	3"
	37 cm	27 cm	8 cm

#### Large, Tec-Cart<sup>™</sup> Mobile Work Station with Drawer


- Smooth rolling, premium, 3" locking casters
- Vacuum-formed, gray, textured, ABS plastic, work surface rimmed on all sides
- 5-leg, 24" cast aluminum base with bumper guards
- Easy-clean surfaces
- Pneumatic height adjustment for sitting or standing
- Gray laminate cabinet
- Easy-clean, all plastic drawer with gray laminate front and wire pull

9810	width	depth	height range
	20"	201/2"	281/2" – 39"
	51 cm	52 cm	72 cm – 99 cm
drawer	length	width	depth
	143/4"	101/2"	3"
	37 cm	27 cm	8 cm

#### Contour Tec-Cart Mobile Work Station

- Smooth rolling, premium, 3" locking casters
- Curved contour, vacuum-formed, gray, textured, ABS plastic, work surface rimmed on the perimeter
- 5-leg, 24" cast aluminum base with bumper guards
- Easy-clean surface
- Pneumatic height adjustment for sitting or standing

9820	width	depth	height range
	26"	18 <sup>1</sup> /2"	$30^{1}/2" - 40^{5}/8"$
	66 cm	47 cm	77 cm – 103 cm



For more information go to www.P65Warnings.ca.gov.

#### PEDIATRIC SERIES, PHLEBOTOMY CARTS

Clinton rolls out the color with exclusive phlebotomy carts that feature Clinton Kids<sup>TM</sup> graphics that amuse children and adults alike. They have convenient storage space, ABS molded tops and large, easy-roll casters that make them perfect for moving from patient to patient and floor to floor.

#### Pediatric Series, Phlebotomy Carts feature:

- ullet Clinton Kids  $^{ extstyle extstyle$
- Lockable door with soft-close hinges
- Two, 3.5" x 11" x 16.5" removable plastic storage trays on easy-slide tracks (9 cm x 28 cm x 42 cm)
- Easy-clean, vacuum-formed, gray, ABS, plastic top with textured finish and raised rim on all sides
- Easy grip, ClintonClean<sup>TM</sup>, solid plastic handle
- Pneumatic height adjustment
- Black, nylon, 5-leg, base
- 2.5" dual wheel casters
- Optional glove box holder available



Two plastic bins slide on plastic Optional glove box holder channels



mounts to back (Order Single White Steel Glove Box Holder GW-2000)

#### Pediatric/Space Place, Phlebotomy Cart

• Clinton, original, Space Place graphics on all four sides

67235			
top	width 20"		depth 20 <sup>3</sup> / <sub>4</sub> "
тор	51 cm		53 cm
cabinet	width 13 <sup>1</sup> /4"	depth 18"	height 10 <sup>1</sup> /2"
	34 cm	46 cm	27 cm
base	24"		
diameter	61 cm		
height	33" – 43"		
range	94 cm 100 cm		



All blood drawing products are non-returnable unless they are unused in unopened, original packaging.

**WARNING:** This product can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### For more information go to www.P65Warnings.ca.gov.

#### Pediatric/Cool Pals, Phlebotomy Cart

• Clinton, original, Cool Pals graphics on all four sides

67231				
top			depth 20 <sup>3</sup> /4" 53 cm	
cabinet	width 13 <sup>1</sup> /4" 34 cm	depth 18" 46 cm	height 10 <sup>1</sup> /2" 27 cm	
base diameter	<b>24"</b> 61 cm			
height range	33" – 43" 84 cm – 109 cm			



Pediatric/Alley Cats & Dogs, Phlebotomy Cara

67237 same specifications as 67231

all four sides

#### Pediatric/Ocean Commotion, Phlebotomy Cart

• Clinton, original, Ocean Commotion graphics on all four sides


67236 same specifications as 67231

#### Pediatric/Rainforest Follies, Phlebotomy Cart

• Clinton, original, Rainforest Follies graphics on all four sides

67232 same specifications as 67231

(Supplies shown on tops not included)



#### PHLEBOTOMY CARTS

Easy to handle and maneuver in tight spaces with ample space for supplies and equipment, Clinton's phlebotomy carts are the right fit for busy nurses and phlebotomists.

#### 5-Leg, Phlebotomy Carts feature:

- Gray laminate cabinet construction
- Easy-clean, vacuum-formed, gray, ABS, plastic top with textured finish and raised rim on all sides
- Lockable door with soft-close hinges (67200)
- Removable plastic storage tray(s) on easy slide tracks
- Easy grip handle 1" diameter, powder-coated, push handle
- Pneumatic height adjustment
- Stable, 5-leg, aluminum base
- Smooth rolling, 3" ball bearing casters
- Optional glove box holder available

Optional glove box holder mounts to back (Order Single White Steel Glove Box Holder GW-2000)

#### **One-Bin Phlebotomy Cart**

67100			
	width		depth
top	20"		203/4"
	width	depth	height
cabinet	131/4"	171/4"	73/4"
base diameter	24"		
height range	33" – 43"		



(All items on tops not included, and not available from Clinton.)

All blood drawing products are non-returnable unless they are unused in unopened, original packaging.

**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### Two-Bin Phlebotomy Cart

67200				
	width		depth	
top	20"		203/4"	
cabinet	width	depth	height	
	131/4"	18"	101/2"	
base diameter		24"		
height range	33" – 43"			



One or two plastic bins slide on plastic channels



Optional glove box holder mounts to back (Order Single White Steel Glove Box Holder GW-2000)



(All items on tops not included, and not available from Clinton.)

All blood drawing products are non-returnable unless they are unused in unopened, original packaging.

Clinton offers traditional clear and opaque plastic sundry jars, plus our own Clinton Kids™ labeled jars with fun, kid-friendly, Clinton graphics.



#### **Labeled Clear Sundry Jars**

- Set of 5 with clear tops
- Sold in sets only

T-70	diameter	height
	4 3/8"	6 1/2"
_	11.11 cm	16.51 cm



#### Labeled Clear " Animal Pals" Sundry Jars

- Set of 5 with clear tops
- Sold in sets only



T-77	diameter	height
	4 3/8"	6 <sup>1</sup> /2"
	11.11 cm	16.51 cm



#### **Labeled Opaque Sundry Jars**

- Set of 5 with clear tops
- Sold in sets only

T-60	diameter	height	
	4 3/8"	6 <sup>1</sup> /2"	
	11.11 cm	16.51 cm	_

**WARNING:** This product can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### Labeled Opaque "Animal Pals" Sundry Jars

- Set of 5 with clear tops
- Sold in sets only



T-66	diameter	height
	4 3/8"	6 <sup>1</sup> /2"
	11.11 cm	16.51 cm













**WARNING:** This product can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

#### Clear Acrylic Wall Mount Jar Rack

• Jars sold separately in sets only

T-88	length	width
	24"	7 1/2"
	60.95 cm	44.45 cm



**WARNING:** This product can expose you to chemicals, including vinyl chloride, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

38 39

#### ROUND SERIES, WASTE RECEPTACLES

Sleek and easy to use, our Round Series, Waste Receptacles are perfect for any size office or clinic. Choose from three finishes to complement your decor.

#### Round Series Waste Receptacles feature:

- Round, steel, outer shell in your choice of stainless steel or 2 enamel finishes
- Step-on foot pedal operated lid
- 3 capacity choices
- Removable inner bucket with handle
- One-piece, plastic base keeps metal from contacting floor
- Chrome handle makes moving and cleaning easy
- 2 hazardous waste labels are included with all models
- \* Stainless steel waste receptacles are not MRI compatible

# \*20 L., Medium, Round, Stainless Steel, Waste Receptacle (21.13 quarts)

- All stainless steel outer shell and lid
- Weight: 9 lbs.

TR-20S	diameter	height
	14"	173/4"

#### \*12 L., Small, Round, Stainless Steel, Waste Receptacle (12.68 quarts)

- All stainless steel outer shell and lid
- Weight: 7 lbs.

TR-13S	diameter plus pedal	height
	12"	153/4"



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

# 20 L, Medium, Round, Waste Receptacle (21.13 quarts)

- All steel outer shell and lid
- Weight: 9 lbs.



TR-20R (red)	diameter	height	
	10"	24"	

# 12 L, Small, Round, Waste Receptacle (12.68 quarts)

- All steel outer shell and lid
- Weight: 7 lbs.

TR-13W (white)	diameter	height
	12"	153/4"
TR-13R (red)	diameter	height
	10"	133/4"







INFECTIOUS WASTE BASURA INFECCIOSA

Biohazard labels included



All plastic base keeps metal from scratching the floor



Plastic inner bucket with handle





Due to the limitations of the printing process, actual colors may vary.

#### OVER-BED TABLES

Clinton Over-Bed Tables are perfect for patients who require care or meals in bed. They have easy-clean surfaces and can be maneuvered easily in tight spaces.

#### Over-Bed Tables feature:

- Walnut or gray laminate top
- Chrome plated base
- Dual wheel, nylon casters
- Single hand, spring loaded, height adjustments



#### U-Base, Over Bed Table

- U-base for easy access
- 50 lbs. load capacity
- Weight: 26 lbs.
- Box dimensions: 35"x17"x6"

TS-160				
	length	width		
top	15"	31 <sup>1</sup> /2"		
base	length	width		
	16"	261/2"		
height range				
	31" – 41 <sup>1</sup> /2"			

#### U-Base, Over-Bed Table

• Weight: 26 lbs.

• Box dimensions: 35"x17"x6"

**TS-165** Same as TS-160 with Gray laminate top



**WARNING:** Products featured on this page can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

#### H-Base, Over-Bed Table

- 50 lbs. load capacity
- Weight: 26 lbs.
- Box dimensions: 35"x17"x6"

	TS-170		
		length	width
	top	15"	311/2"
		length	width
	base	16"	261/2"
77.170		height range	
TS-170		31" – 4	11 <sup>1</sup> /2"

#### H-Base, Over-Bed Table

- Shipping weight: 26 lbs.
- Box dimensions: 35"x17"x6"

**TS-175** Same as TS-170 with Gray laminate top



#### STAINLESS STEEL, GLOVE BOX HOLDERS

#### Stainless Steel, Glove Box Holders feature:

- Stainless steel construction
- Open design allows for easy glove identification
- All units mount horizontal or vertical
- Mounting hardware included
- Universal size fits most glove boxes
- Order in any quantity
- Multi-unit orders will be bulk packed to save on shipping
- \* Not MRI compatible











#### \*Single, Stainless Steel, Glove Box Holder

- Weight: 2 lbs.
- Box dimensions: 11"x8"x5"

GS-3000	width	depth	height	
	10"	33/4"	51/2"	

#### \*Double, Stainless Steel, Glove ox Holder

- Weight: 2 lbs.
  - os.
- Box dimension X5

GS-3020	width	depth	height
	10"	33/4"	101/2"

#### \*Double, Slimline, Stainless Steel, Glove Box Holder

- Weight: 4 lbs.
- Box dimensions: 21"x8"x5"

GS-3022	width	depth	height
	20"	4"	5 <sup>1</sup> /2"

#### \*Triple, Stainless Steel, Glove Box Holder

- Weight: 3 lbs.
- Box dimensions: 19"x11"x5"

GS-3030	width	depth	height
	10	3 <sup>3</sup> /4"	15 <sup>7</sup> /8"

#### \*Triple, Slimline, Stainless Steel, Glove Box Holder

- Weight: 5 lbs.
- Box dimensions: 31"x8"x5"

GS-3033	width	depth	height
	30"	4"	51/2"

#### \*Quad, Stainless Steel, Glove Box Holder

- Weight: 4 lbs.
- Box dimensions: 26"x11"x5"

GS-3040	width	depth	height	
	10"	33/4"	223/8"	

NOTE: Stainless Steel Glove Box Holders may be mounted horizontally or vertically.

WHITE, STEEL, GLOVE BOX HOLDERS

White, Steel, Glove Box Holders feature:

- Powder coated, steel construction
- Open design allows for easy glove identification
- All units mount horizontal or vertical
- Mounting hardware included
- Universal size fits most glove boxes
- Order in any quantity
- Multi-unit orders will be bulk packed to save on shipping











#### Single, White, Steel, Glove Box Holder

- Weight: 2 lbs.
- Box dimensions: 11"x8"x5"

GW-2000	width	depth	height
As pictured:	10"	33/4"	5 <sup>1</sup> /2"

#### Double, White, Steel, Glove Box Holder

- Weight: 2 lbs.
- Box dimensions: 14"x11"x5"

GW-2020	width	depth	height
As pictured:	10"	33/4"	10 <sup>1</sup> /2"

#### Double, Slimline, White, Steel, Glove Box Holder

- Weight: 3 lbs.
- Box dimensions: 21"x8"x5"

GW-2022	width	depth	height
As pictured:	20"	4"	5 <sup>1</sup> /2"

#### Triple, White, Steel, Glove Box Holder

- Weight: 3 lbs.
- Box dimensions: 19"x11"x7"

GW-2030	width	depth	height
As pictured:	10"	33/4"	15 <sup>7</sup> /8"

#### Triple, Slimline, White, Steel, Glove Box Holder

- Weight: 3 lbs.
- Box dimensions: 31"x8"x5"

GW-2033	width	depth	height
As pictured:	30"	4"	5 <sup>1</sup> /2"

#### Quad, White, Steel, Glove Box Holder

- Weight: 4 lbs.
- Box dimensions: 26"x11"x5"

GW-2040	width	depth	height
As pictured:	10"	3 <sup>3</sup> /4"	223/8"

NOTE: White Steel Glove Box Holders may be mounted horizontally or vertically.

44 45

#### Wire, Glove Box Holders feature:

- Powder coated, steel wire construction
- Open design allows for easy glove identification
- Mounting hardware included
- Universal size fits most glove boxes
- Order in any quantity
- Multi-unit orders will be bulk packed to save on shipping

G-1020

G-1030

G-1033



G-1000



G-1022



G-1044

#### • Weight: 1 lb. • Box dimensions: 4"x5"x12"

G-1000	width	depth	height
	11 <sup>1</sup> /2"	33/4"	41/4"

Single, Horizontal, Wire, Glove Box Holder

#### Double, Vertical, Wire, Glove Box Holder

- Weight: 2 lbs.
- Box dimensions: 4"x9"x12"

G-1020	width	depth	height
	11 <sup>1</sup> /4"	33/4"	8"

#### Double, Horizontal, Wire, Glove Box Holder

- Weight: 1 lb.
- Box dimensions: 12"x12"x5"

G-1022	width	depth	height
	113/4"	41/4"	11 <sup>1</sup> /2"

#### Triple, Vertical, Wire, Glove Box Holder

- Weight: 2 lbs.
- Box dimensions: 17"x9"x5"

G-1030	width	depth	height
	173/4"	33/4"	81/4"

#### Triple, Horizontal, Wire, Glove Box Holder

- Weight: 3 lbs.
- Box dimensions: 12"x15"x5"

G-1033	width	depth	height
	11 <sup>1</sup> /2"	41/4"	14"

#### Quad, Horizontal, Wire, Glove Box Holder

- Weight: 4 lbs.
- Box dimensions: 23"x13"x5"


G-1044	width	depth	height
	11 <sup>1</sup> /2"	41/4"	221/2"

#### Clear, PETG, Glove Box Holders feature:

- PETG plastic construction
- Good clarity for viewing contents
- FDA approved material
- Superior chemical resistance compared to other plastics
- Can be mounted vertically or horizontally
- Mounting hardware is included, however, check with you facilities manager for proper fastening to your specific wall structure.
- Universal size fits most glove boxes
- Order in any quantity
- Multi-unit orders will be bulk packed to save on shipping



GP-4000





GP-4022



#### Single, Clear PETG, Glove Box Holder

- Weight: 1 lb.
- Box dimensions: 10 <sup>1</sup>/<sub>2</sub>" x 5" x 7 <sup>3</sup>/<sub>4</sub>"

GP-4000	width	depth	height
As pictured:	9 <sup>3</sup> /4"	3 <sup>3</sup> /4"	4 <sup>1</sup> /4"

#### Double, Clear PETG, Glove Box Holder

- Weight: 2 lbs.
- Box dimensions: 13 1/4" x 4 1/2" x 8"

GP-4020	width	depth	height
As pictured:	10 <sup>1</sup> /2"	3 3/4"	10"

#### Triple, Clear PETG, Glove Box Holder

- Weight: 2 lbs.
- Box dimensions: 18 1/2" x 4 1/2" x 8"

GP-4030	width	depth	height
As pictured:	16"	3 <sup>3</sup> /4"	10"

#### Double, Slimline, Clear PETG, Glove Box Holder

- Weight: 1 lb.
- Box dimensions: 20 1/2" x 4 1/2" x 8"

GP-4022	width	depth	height
As pictured:	20 1/8"	3 3/4"	5 <sup>1</sup> /2"

#### Triple, Slimline, Clear PETG, Glove Box Holder

- Weight: 3 lbs.
- Box dimensions: 30 1/2" x 4 1/2" x 8"

GP-4033	width	depth	height
As pictured:	30"	3 3/4"	6 <sup>1</sup> /2"

**WARNING:** Products featured on this page can expose you to chemicals, including styrene, ethylbenzene, and cumene including chromium, which is known to the State of California to cause reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.

47 46 GP-4033





800-441-9131 • 717-848-3519 Toll-Free Fax 866-522-1233 Fax 717-843-5871 www.clinton-ind.com